


MAS403 BT

搪孔刀柄 Taper Shank for Boring System



MAS403 BT 搪孔刀柄
MAS403 BT Taper Shank


訂貨編號 Order No.	規 格 Model	H	L	L1	M	淨 重 N.W.
40251303	BT30-H25-35	25	85	35	60	0.40
40251305	BT30-H25-55	25	105	55	75	0.49
40321303	BT30-H32-35	32	98	35	75	0.45
40321305	BT30-H32-55	32	118	55	93	0.54
40401303	BT30-H40-35	40	98	35	75	0.45
40401305	BT30-H40-55	40	118	55	93	0.63
40501304	BT30-H50-45	50	125	45	93	0.57
40631306	BT30-H63-65	63	145	65	93	0.91

訂貨編號 Order No.	規 格 Model	H	L	L1	M	淨 重 N.W.
40251404	BT40-H25-40	25	90	40	60	1.00
40251407	BT40-H25-72	25	122	72	90	1.12
40251410	BT40-H25-100	25	150	100	123	1.47
40321404	BT40-H32-40	32	103	40	75	1.00
40321407	BT40-H32-72	32	135	72	102	1.20
40321412	BT40-H32-120	32	183	120	150	1.55
40401404	BT40-H40-40	40	103	40	73	1.05
40401407	BT40-H40-72	40	135	72	102	1.31
40401413	BT40-H40-130	40	193	130	162	1.95
40501405	BT40-H50-50	50	130	50	102	1.15
40501413	BT40-H50-130	50	210	130	182	2.20
40631405	BT40-H63-55	63	135	55	102	1.24

訂貨編號 Order No.	規 格 Model	H	L	L1	M	淨 重 N.W.
40251511	BT50-H25-115	25	165	115	102	4.15
40251514	BT50-H25-140	25	190	140	127	4.30
40251516	BT50-H25-165	25	215	165	152	4.40
40321513	BT50-H32-135	32	198	135	135	4.55
40321516	BT50-H32-165	32	228	165	165	4.80
40321520	BT50-H32-200	32	263	200	200	5.00
40401513	BT50-H40-135	40	198	135	135	4.90
40401518	BT50-H40-185	40	248	185	185	5.45
40401522	BT50-H40-225	40	288	225	225	5.90
40401526	BT50-H40-265	40	328	265	265	6.30
40501506	BT50-H50-65	50	145	65	102	3.80
40501516	BT50-H50-165	50	245	165	202	5.35
40501521	BT50-H50-215	50	295	215	252	6.30
40501526	BT50-H50-265	50	345	265	302	7.20
40631506	BT50-H63-65	63	145	65	102	3.80
40631508	BT50-H63-85	63	165	85	122	4.30
40631516	BT50-H63-165	63	245	165	202	6.20
40631521	BT50-H63-215	63	295	215	252	7.75
40631526	BT50-H63-265	63	345	265	302	8.70
40631531-8	BT50-H63-315 ø80	63	395	315	352	10.90
40631531-9	BT50-H63-315 ø90	63	395	315	352	11.95
41001510	BT50-H100-100	100	200	100	157	5.95
41001515	BT50-H100-150	100	250	150	207	8.60
41001520	BT50-H100-200	100	300	200	257	11.55
41001525	BT50-H100-250	100	350	250	307	14.50

MAS403 BT-B

搪孔刀柄 Taper Shank for Boring System




MAS403 BT-B型 搪孔刀柄
MAS403 BT-B Type Taper Shank

訂貨編號 Order No.	規 格 Model	H	L	L1	M	淨 重 N.W.
40251511B	BT50B-H25-115	25	165	115	102	4.15
40251514B	BT50B-H25-140	25	190	140	127	4.30
40251516B	BT50B-H25-165	25	215	165	152	4.40
40321513B	BT50B-H32-135	32	198	135	135	4.55
40321516B	BT50B-H32-165	32	228	165	165	4.80
40321520B	BT50B-H32-200	32	263	200	200	5.00
40401513B	BT50B-H40-135	40	198	135	135	4.90
40401518B	BT50B-H40-185	40	248	185	185	5.45
40401522B	BT50B-H40-225	40	288	225	225	5.90
40401526B	BT50B-H40-265	40	328	265	265	6.30
40501506B	BT50B-H50-65	50	145	65	102	3.80
40501516B	BT50B-H50-165	50	245	165	202	5.35
40501521B	BT50B-H50-215	50	295	215	252	6.30
40501526B	BT50B-H50-265	50	345	265	302	7.20
40631506B	BT50B-H63-65	63	145	65	102	3.80
40631508B	BT50B-H63-85	63	165	85	122	4.30
40631516B	BT50B-H63-165	63	245	165	202	6.20
40631521B	BT50B-H63-215	63	295	215	252	7.75
40631526B	BT50B-H63-265	63	345	265	302	8.70
41001510B	BT50B-H100-100	100	200	100	157	5.95
41001515B	BT50B-H100-150	100	250	150	207	8.60
41001520B	BT50B-H100-200	100	300	200	257	11.55
41001525B	BT50B-H100-250	100	350	250	307	14.50



DIN69871A

SK 搪孔刀柄 Taper Shank for Boring System



DIN69871A 搪孔刀柄
DIN69871A Taper Shank


訂貨編號 Order No.	規 格 Model	H	L	L1	M	淨 重 N.W.
40252303	ISO30-H25-30	25	80	30	60	0.39
40322303	ISO30-H32-35	32	98	35	75	0.42
40402303	ISO30-H40-35	40	98	35	75	0.44
40502305	ISO30-H50-55	50	135	55	95	0.70

訂貨編號 Order No.	規 格 Model	H	L	L1	M	淨 重 N.W.
40252403	ISO40-H25-30	25	80	30	60	0.83
40252406	ISO40-H25-65	25	115	65	90	1.00
40322403	ISO40-H32-35	32	98	35	75	0.86
40322406	ISO40-H32-65	32	128	65	102	1.05
40322408	ISO40-H32-84	32	147	84	123	1.19
40402403	ISO40-H40-35	40	98	35	75	0.88
40402406	ISO40-H40-65	40	128	65	102	1.20
40402410	ISO40-H40-104	40	167	104	143	1.50
40502405	ISO40-H50-50	50	130	50	102	1.12
40502410	ISO40-H50-104	50	184	104	163	1.87
40632406	ISO40-H63-60	63	140	60	102	1.28

訂貨編號 Order No.	規 格 Model	H	L	L1	M	淨 重 N.W.
40252509	ISO50-H25-92	25	142	92	102	3.60
40252511	ISO50-H25-117	25	167	117	127	3.70
40252514	ISO50-H25-142	25	192	142	152	3.80
40322511	ISO50-H32-112	32	175	112	135	3.80
40322514	ISO50-H32-144	32	207	144	165	4.00
40322517	ISO50-H32-176	32	239	176	200	4.20
40402511	ISO50-H40-112	40	175	112	135	3.95
40402516	ISO50-H40-162	40	225	162	185	4.45
40402520	ISO50-H40-202	40	265	202	225	4.90
40402524	ISO50-H40-242	40	305	242	265	5.30
40502505	ISO50-H50-50	50	130	50	102	3.35
40502516	ISO50-H50-162	50	242	162	202	5.00
40502521	ISO50-H50-212	50	292	212	252	5.80
40502526	ISO50-H50-262	50	342	262	302	6.60
40632506	ISO50-H63-65	63	145	65	102	3.00
40632516	ISO50-H63-162	63	242	162	202	5.70
40632521	ISO50-H63-212	63	292	212	252	6.95
40632526	ISO50-H63-262	63	342	262	302	8.15
41002510	ISO50-H100-100	100	205	105	170	6.00
41002515	ISO50-H100-150	100	255	155	220	8.50
41002520	ISO50-H100-200	100	305	205	270	11.35
41002525	ISO50-H100-250	100	355	255	320	14.25

DIN69871B

SK-B 搪孔刀柄 Taper Shank for Boring System




DIN69871B 搪孔刀柄
DIN69871B Taper Shank

訂貨編號 Order No.	規 格 Model	H	L	L1	M	淨 重 N.W.
40252509B	ISO50-H25-92	25	142	92	102	3.60
40252511B	ISO50-H25-117	25	167	117	127	3.70
40252514B	ISO50-H25-142	25	192	142	152	3.80
40322511B	ISO50-H32-112	32	175	112	135	3.80
40322514B	ISO50-H32-144	32	207	144	165	4.00
40322517B	ISO50-H32-176	32	239	176	200	4.20
40402511B	ISO50-H40-112	40	175	112	135	3.95
40402516B	ISO50-H40-162	40	225	162	185	4.45
40402520B	ISO50-H40-202	40	265	202	225	4.90
40402524B	ISO50-H40-242	40	305	242	265	5.30
40502505B	ISO50-H50-50	50	130	50	102	3.35
40502516B	ISO50-H50-162	50	242	162	202	5.00
40502521B	ISO50-H50-212	50	292	212	252	5.80
40502526B	ISO50-H50-262	50	342	262	302	6.60
40632506B	ISO50-H63-65	63	145	65	102	3.00
40632516B	ISO50-H63-162	63	242	162	202	5.70
40632521B	ISO50-H63-212	63	292	212	252	6.95
40632526B	ISO50-H63-262	63	342	262	302	8.15
41002510B	ISO50-H100-100	100	205	105	170	6.00
41002515B	ISO50-H100-150	100	255	155	220	8.50
41002520B	ISO50-H100-200	100	305	205	270	11.35
41002525B	ISO50-H100-250	100	355	255	320	14.25


DIN2080(NT)

搪孔刀柄 Taper Shank for Boring System



DIN2080 (mm) 搪孔刀柄
DIN2080 (mm) Taper Shank

訂貨編號 Order No.	規 格 Model	H	L	L1	M	淨 重 N.W.
40250304M	ISO30-H25-40	25	90	40	72	0.40
40320304M	ISO30-H32-40	32	103	40	90	0.45
40400304M	ISO30-H40-40	40	103	40	95	0.55
40500305M	ISO30-H50-50	50	130	50	120	0.75
40630306M	ISO30-H63-60	63	140	60	120	1.13
40250407M	ISO40-H25-72	25	122	72	102	0.95
40320407M	ISO40-H32-72	32	135	72	102	1.03
40400407M	ISO40-H40-72	40	135	72	102	1.14
40500403M	ISO40-H50-35	50	115	35	102	0.93
40630405M	ISO40-H63-55	63	140	55	102	1.40
40250511M	ISO50-H25-115	25	165	115	122	3.40
40320513M	ISO50-H32-135	32	198	135	155	3.90
40400516M	ISO50-H40-165	40	248	165	185	4.60
40500505M	ISO50-H50-50	50	130	50	102	3.20
40500520M	ISO50-H50-200	50	280	200	252	5.50
40630506M	ISO50-H63-65	63	145	65	122	3.35
40630524M	ISO50-H63-245	63	325	245	302	7.90




DIN2080 (inch) 搪孔刀柄
DIN2080 (inch) Taper Shank

訂貨編號 Order No.	規 格 Model	H	L	L1	M	淨 重 N.W.
40250304I	ISO30-H25-40	25	90	40	72	0.40
40320304I	ISO30-H32-40	32	103	40	90	0.45
40400304I	ISO30-H40-40	40	103	40	95	0.55
40500305I	ISO30-H50-50	50	130	50	120	0.75
40630306I	ISO30-H63-60	63	140	60	120	1.13
40250407I	ISO40-H25-72	25	122	72	102	0.95
40320407I	ISO40-H32-72	32	135	72	102	1.03
40400407I	ISO40-H40-72	40	135	72	102	1.14
40500403I	ISO40-H50-35	50	115	35	102	0.93
40630405I	ISO40-H63-55	63	140	55	102	1.40
40250511I	ISO50-H25-115	25	165	115	122	3.40
40320513I	ISO50-H32-135	32	198	135	155	3.90
40400516I	ISO50-H40-165	40	248	165	185	4.60
40500505I	ISO50-H50-50	50	130	50	102	3.20
40500520I	ISO50-H50-200	50	280	200	252	5.50
40630506I	ISO50-H63-65	63	145	65	122	3.35
40630524I	ISO50-H63-245	63	325	245	302	7.90


DIN69893A、ANSI、直柄、R8搪孔刀柄

DIN69893A, ANSI, Straight Shank, R8 Taper Shank for Boring System




DIN69893A 搪孔刀柄
DIN69893A Shank

訂貨編號 Order No.	規 格 Model	H	L	L1	M	淨 重 N.W.
40254604	HSK63-H25-40	25	90	40	60	0.70
40324604	HSK63-H32-40	32	103	40	75	0.70
40404604	HSK63-H40-45	40	108	45	80	0.75
40504605	HSK63-H50-50	50	130	50	102	0.86
40634606	HSK63-H63-67	63	147	67	102	1.13
40634907	HSK100-H63-75	63	155	75	122	2.80
41004911	HSK100-H100-115	100	215	115	170	5.60



ANSI 搪孔刀柄
ANSI Taper Shank

訂貨編號 Order No.	規 格 Model	H	L	L1	M	淨 重 N.W.
40253406	CAT40-H25-63	25	113	63	90	0.99
40323406	CAT40-H32-63	32	126	63	102	1.06
40403406	CAT40-H40-63	40	126	63	102	1.06
40503405	CAT40-H50-55	50	135	55	102	1.14
40503505	CAT50-H50-50	50	130	50	102	2.85
40633506	CAT50-H63-65	63	145	65	122	3.25



直柄
Straight Shank


訂貨編號 Order No.	規 格 Model	C	H	L1	M	淨 重 N.W.
40032503	C32H25-35	32	25	35	85	0.62
40033204	C32H32-40	32	32	40	102	0.67
40034004	C32H40-40	32	40	40	102	0.76
40035004	C32H50-40	32	50	40	120	0.88
40036305	C32H63-55	32	63	55	135	1.24

R8搪孔刀柄
R8 Taper Shank

訂貨編號 Order No.	規 格 Model	H	L	L1	M	淨 重 N.W.
40638806	R8-7/16"NF20	63	130	50	102	1.31


延長接桿、縮徑接桿、鎢鋼柄

Extension Spacer, Stepped Spacer, Carbide Shank for Boring System




延長接桿
Extension Spacer

訂貨編號 Order No.	規 格 Model	h	H	L1	M	淨 重 N.W.
42252502	h25H25-25	25	25	25	75	0.09
42252505	h25H25-50	25	25	50	100	0.18
42323203	h32H32-32	32	32	32	95	0.18
42323206	h32H32-64	32	32	64	125	0.37
42404004	h40H40-40	40	40	40	102	0.37
42404008	h40H40-80	40	40	80	142	0.92
42505005	h50H50-50	50	50	50	130	0.69
42505010	h50H50-100	50	50	100	180	1.41
42636306	h63H63-63	63	63	63	143	1.40
42636312	h63H63-126	63	63	126	205	2.77
42101010	h100H100-100	100	100	100	200	5.75
42101020	h100H100-200	100	100	200	300	11.30



縮徑接桿
Stepped Spacer

訂貨編號 Order No.	規 格 Model	h	H	L1	L2	M	淨 重 N.W.
43322503	h32H25-25	32	25	32	23	75	0.14
43322505	h32H25-48	32	25	57	48	100	0.22
43402504	h40H25-30	40	25	40	28	75	0.24
43402506	h40H25-50	40	25	65	53	105	0.33
43403204	h40H32-30	40	32	40	28	92	0.28
43403207	h40H32-60	40	32	72	60	123	0.46
43502505	h50H25-35	50	25	50	30	85	0.44
43502507	h50H25-60	50	25	75	55	110	0.53
43503205	h50H32-35	50	32	50	30	98	0.45
43503208	h50H32-67	50	32	82	62	130	0.64
43504005	h50H40-35	50	40	50	33	98	0.55
43504009	h50H40-75	50	40	90	73	138	1.10
43632506	h63H25-40	63	25	63	38	90	0.73
43632511	h63H25-90	63	25	113	88	130	0.91
43633206	h63H32-40	63	32	63	38	102	0.83
43633212	h63H32-100	63	32	127	102	165	1.21
43634006	h63H40-40	63	40	63	40	102	0.94
43634014	h63H40-120	63	40	143	120	183	2.04
43635006	h63H50-40	63	50	63	44	120	1.09
43635016	h63H50-140	63	50	163	144	220	2.53



鎢鋼柄
Carbide Shank

訂貨編號 Order No.	規 格 Model	H	L	M	淨 重 N.W.
40072531	C25H25-318	25	318	175	1.90
40073237	C32H32-375	32	375	224	4.05

