




Stanny

雙刃粗搪孔刀系統
Adjustable Twin Cutter Roughing and Semi-Finishing Boring System





雙刃—粗搪

SACC and SACC Cutting Insert Holders

H•BIT-AA

P21~P22

雙刃—段差粗搪

SACC and SBCC Cutting Insert Holders

H•BIT-AB

P23~P24

雙刃—80°粗搪

EMSC and EMSC 80° Cutting Insert Holders

H•BIT-MM

P25~P26

單刃—45°正反倒角

IWSC Positive and Negative 45° Chamfer Cutting Insert Holder and Apron

H•BIT-AW

P27~P28


單刃—反搪孔

RKCC Reverse Cutting Insert Holder and Apron

H•BIT-AK

P29~P30

粗搪孔刀本體 Body




H•BIT 雙刃粗搪孔刀-本體
Body for H•BIT Adjustable Twin Cutter Roughing

訂貨編號 Order No.	規 格 Model	系 統 h	d	X	MA Bolt	MB Bolt	淨 重 N.W.
31000025	HBIT25	25	14	40	M4×10	M4×18	0.15
31000032	HBIT32	32	18	50	M5×10	M5×20	0.33
31000040	HBIT40	40	22	48	M6×12	M6×20	0.48
31000050	HBIT50	50	28	62	M6×14	M6×25	0.96
31000063	HBIT63	63	36	58	M8×16	M8×30	1.54
31000080	HBIT80	63	36	58	M8×16	M8×30	1.96
31000120	HBIT120	100	56	73	M10×20	M10×40	5.85

粗搪孔刀座 Cutting Insert Holder


80° 粗搪孔刀座 80° Cutting Insert Holder



H•BIT 粗搪孔刀座

Cutting Insert Holder for H•BIT Adjustable Twin Cutter Roughing

訂貨編號 Order No.	較高粗搪孔刀座 Cutting Insert Holder	系統 System	範圍 D Boring Range øDMin-øDMax	W	e	刀片 Insert	搪孔量 ap	螺絲 Bolt	板手 Wrench	淨重 N.W.
30252936A	SACC2936	HBIT25	29-36	12.1	25.9	CCMT0602..	0.5-1	M2.5	T8	0.01
30253542A	SACC3542		35-42		30.6					0.02
30323645A	SACC3645		36-45		32					0.02
30324453A	SACC4453	HBIT32	44-53	16	38	CCMT09T3..	1-3	-TS25	T15	0.02
30404556A	SACC4556	HBIT40	45-56		40					0.04
30405566A	SACC5566		55-66		46.5					0.05
30505674A	SACC5674	HBIT50	56-74	17.9	49	CCMT1204..	1-4	-TS4	T25	0.06
30507492A	SACC7492		74-92		62					0.09
30637090A	SACC7090	HBIT63	70-90	23.1	61	CCMT1204..	0.5-1	M5	T25	0.12
30639011A	SACC90110		90-110		78.5					0.18
30809013A	SACC90130	HBIT80	90-130		80.5					0.17
30813017A	SACC130170		130-170	27.9	100.5	CCMT1204..	1-5	-TS5	T25	0.23
30912013A	SACC130190	HBIT120	130-190		119.5					0.41
30912017A	SACC170230		170-230		139.5					0.52




H•BIT 粗搪孔刀座

Cutting Insert Holder for H•BIT Adjustable Twin Cutter Roughing

訂貨編號 Order No.	較低粗搪孔刀座 Cutting Insert Holder	系統 System	範圍 D Boring Range øDMin-øDMax	W	e	刀片 Insert	搪孔量 ap	螺絲 Bolt	板手 Wrench	淨重 N.W.
30252936B	SBCC2936	HBIT25	29-36	11.8	25.9	CCMT0602..	0.5-1	M2.5	T8	0.01
30253542B	SBCC3542		35-42		30.6					0.02
30323645B	SBCC3645		36-45		32					0.02
30324453B	SBCC4453	HBIT32	44-53	15.6	38	CCMT09T3..	1-3	-TS25	T15	0.02
30404556B	SBCC4556	HBIT40	45-56		40					0.04
30405566B	SBCC5566		55-66		46.5					0.05
30505674B	SBCC5674	HBIT50	56-74	17.5	49	CCMT1204..	1-4	-TS4	T15	0.07
30507492B	SBCC7492		74-92		62					0.09
30637090B	SBCC7090	HBIT63	70-90	22.7	61	CCMT1204..	0.5-1	M5	T25	0.13
30639011B	SBCC90110		90-110		78.5					0.18
30809013B	SBCC90130	HBIT80	90-130		80.5					0.18
30813017B	SBCC130170		130-170	27.5	100.5	CCMT1204..	1-5	-TS5	T25	0.24
30912013B	SBCC130190	HBIT120	130-190		119.5					0.40
30912017B	SBCC170230		170-230		139.5					0.51

備註：SACC刀座和SBCC刀座差別於(W).

PS. The difference of SACC Cutting Insert Holder and SBCC Cutting Insert Holder is the height(W).



H•BIT 80°粗搪孔刀座


80° Cutting Insert Holder for H•BIT Adjustable Twin Cutter Roughing

訂貨編號 Order No.	80°粗搪孔刀座 80° Cutting Insert Holder	系統 System	範圍 D Boring Range øDMin-øDMax	W	e	刀片 Insert	搪孔量 ap	螺絲 Bolt	板手 Wrench	淨重 N.W.
30252936M	EMSC2936	HBIT25	29-36	12.4	25.9	SCET0602..	0.5-1	M2.5	T8	0.01
30253542M	EMSC3542		35-42		30.6					0.01
30323645M	EMSC3645		36-45		32					0.01
30324453M	EMSC4453	HBIT32	44-53	16	38	SCMT09T3..	1-3	-TS25	T15	0.02
30404556M	EMSC4556	HBIT40	45-56		40					0.03
30405566M	EMSC5566		55-66		46.5					0.04
30505674M	EMSC5674	HBIT50	56-74	18.3	49	SCMT1204..	1-4	-TS4	T15	0.06
30507492M	EMSC7492		74-92		62					0.09
30637090M	EMSC7090	HBIT63	70-90	23.1	61	SCMT1204..	0.5-1	M5	T25	0.12
30639011M	EMSC90110		90-110		78.5					0.18
30809013M	EMSC90130	HBIT80	90-130		80.5					0.17
30813017M	EMSC130170		130-170	27.8	100.5	SCMT1204..	1-5	-TS5	T25	0.23
30912013M	EMSC130190	HBIT120	130-190		119.5					0.41
30912017M	EMSC170230		170-230		139.5					0.52

45° 正反倒角粗搪孔刀座 45° Chamfer Cutting Insert Holder

粗搪孔反搪刀座 Reverse Cutting Insert Holder


反搪孔壓板 Apron



H•BIT 45°正反倒角粗搪孔刀座

45° Chamfer Cutting Insert Holder for H•BIT Adjustable Single Cutter Roughing

訂貨編號 Order No.	45°正反倒角刀座 45° Chamfer Cutting Insert Holder	系統 System	範圍 D Boring Range øDMin-øDMax	W	e	刀片 Insert	搪孔量 ap	螺絲 Bolt	板手 Wrench	淨重 N.W.
30252936W	IWSC2936	HBIT25	29-36	12.4	25.9	SCET0602..	0.5-1	M2.5	T8	0.01
30253542W	IWSC3542		35-42		30.6					0.01
30323645W	IWSC3645	HBIT32	36-45		32		1-3	-TS25		0.01
30324453W	IWSC4453		44-53		38					0.02
30404556W	IWSC4556	HBIT40	45-56	16	40	SCMT09T3..	0.5-1	M4	T15	0.03
30405566W	IWSC5566		55-66		46.5					0.04
30505674W	IWSC5674	HBIT50	56-74	18.3	49		1-4	-TS4		0.06
30507492W	IWSC7492		74-92		62					0.09
30637090W	IWSC7090	HBIT63	70-90	23.1	61	SCMT1204..	0.5-1	M5	T25	0.11
30639011W	IWSC90110		90-110		78.5					0.17
30809013W	IWSC90130	HBIT80	90-130		80.5					0.16
30813017W	IWSC130170		130-170		100.5					0.22
30912013W	IWSC130190	HBIT120	130-190	27.8	119.5		1-5	-TS5		0.39
30912017W	IWSC170230		170-230		139.5					0.50



H•BIT 粗搪孔反搪刀座

Reverse Cutting Insert Holder for H•BIT Adjustable Single Cutter Roughing

訂貨編號 Order No.	粗搪孔反搪刀座 Reverse Cutting Insert Holder	系統 System	範圍 D Boring Range øDMin-øDMax	壓板 Apron	aw	wk	e	刀片 Insert	搪孔量 ap	螺絲 Bolt	板手 Wrench	淨重 N.W.	
30252936K	RKCC2936	HBIT25	29-36	apr25	4	11	25	CCMT0602..	0.5-3	M2.5	T8	0.01	
30253542K	RKCC3542		35-42		7	11	30					0.02	
30323645K	RKCC3645	HBIT32	36-45	apr32	5	11	32					0.02	
30324453K	RKCC4453		44-53		9	11	38					0.02	
30404556K	RKCC4556	HBIT40	45-56	apr40	7	15	40	CCMT09T3..	0.5-4	M4	T15	0.04	
30405566K	RKCC5566		55-66		10	15	46.5					0.05	
30505674K	RKCC5674	HBIT50	56-74	apr50	11	17	48.5					0.07	
30507492K	RKCC7492		74-92		17	17	62					0.09	
30637090K	RKCC7090	HBIT63	70-90	apr63	12	22	60	CCMT1204..	0.5-5	M5	T25	0.13	
30639011K	RKCC90110		90-110		22	22	78					0.18	
30809013K	RKCC90130	HBIT80	90-130	apr80	24	22	79.5					0.18	
30813017K	RKCC130170		130-170		44	22	99.5					0.25	
30912013K	RKCC130190	HBIT120	130-190	apr120	34	27	119.5			-TS5		0.40	
30912017K	RKCC170230		170-230		54	27	139.5					0.50	

H•BIT 反搪孔壓板


Apron for H•BIT Adjustable Single Cutter Roughing

訂貨編號 Order No.	規格 Model	系統 System	淨重 N.W.
30002525	apr25	HBIT25	0.01
30003232	apr32	HBIT32	0.01
30004040	apr40	HBIT40	0.02
30005050	apr50	HBIT50	0.04
30006363	apr63	HBIT63	0.07
30008080	apr80	HBIT80	0.09
30012012	apr120	HBIT120	0.24



粗搪孔刀本體、粗搪孔刀座 Body and Cutting Insert Holder


粗搪孔刀本體、80°粗搪孔刀座 Body and 80° Cutting Insert Holder



等高粗搪頭系統組合(雙刃等高切削相同直徑)

SACC and SACC Cutting Insert Holders have the same Cutting Diameter and Height.

訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M1	h	粗搪孔刀本體 Boring Head	粗搪孔刀座 Cutting Insert Holder	淨 重 N.W.
32290000AA	HBIT25 AA	29-36	50	25	HBIT25	SACC2936	0.17
32350000AA	HBIT25 AA	35-42				SACC3542	0.19
33360000AA	HBIT32 AA	36-45	63	32	HBIT32	SACC3645	0.37
33440000AA	HBIT32 AA	44-53				SACC4453	0.37
34450000AA	HBIT40 AA	45-56	80	40	HBIT40	SACC4556	0.56
34550000AA	HBIT40 AA	55-66				SACC5566	0.58
35560000AA	HBIT50 AA	56-74	100	50	HBIT50	SACC5674	1.10
35740000AA	HBIT50 AA	74-92				SACC7492	1.14
36700000AA	HBIT63 AA	70-90	63	63	HBIT63	SACC7090	1.78
36900000AA	HBIT63 AA	90-110				SACC90110	1.90
38900000AA	HBIT80 AA	90-130	100	100	HBIT80	SACC90130	2.30
38910000AA	HBIT80 AA	130-170				SACC130170	2.44
39130000AA	HBIT120 AA	130-190	100	100	HBIT120	SACC130190	6.67
39170000AA	HBIT120 AA	170-230				SACC170230	6.89



不等高粗搪頭系統組合(雙刃不等高切削不同直徑)

SACC and SBCC Cutting Insert Holders have different Cutting Diameter and Height.

訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M1	h	粗搪孔刀本體 Boring Head	粗搪孔刀座 Cutting Insert Holder	淨 重 N.W.
32290000AB	HBIT25 AB	29-36	50	25	HBIT25	SACC2936	0.17
32350000AB	HBIT25 AB	35-42				SACC3542	0.19
33360000AB	HBIT32 AB	36-45	63	32	HBIT32	SACC3645	0.37
33440000AB	HBIT32 AB	44-53				SACC4453	0.37
34450000AB	HBIT40 AB	45-56	80	40	HBIT40	SACC4556	0.56
34550000AB	HBIT40 AB	55-66				SACC5566	0.58
35560000AB	HBIT50 AB	56-74	100	50	HBIT50	SACC5674	1.10
35740000AB	HBIT50 AB	74-92				SACC7492	1.14
36700000AB	HBIT63 AB	70-90	63	63	HBIT63	SACC7090	1.78
36900000AB	HBIT63 AB	90-110				SACC90110	1.90
38900000AB	HBIT80 AB	90-130	100	100	HBIT80	SACC90130	2.30
38910000AB	HBIT80 AB	130-170				SACC130170	2.44
39130000AB	HBIT120 AB	130-190	100	100	HBIT120	SACC130190	6.66
39170000AB	HBIT120 AB	170-230				SACC170230	6.88

80°等高粗搪頭系統組合(雙刃等高切削相同直徑)

EMSC and EMSC 80° Cutting Insert Holders have the same Cutting Diameter and Height.

訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M1	h	粗搪孔刀本體 Boring Head	80° 粗 搪 孔 刀 座 80° Cutting Insert Holder	淨 重 N.W.
32290000MM	HBIT25 MM	29-36	50	25	HBIT25	EMSC2936	0.17
32350000MM	HBIT25 MM	35-42				EMSC3542	0.17
33360000MM	HBIT32 MM	36-45	63	32	HBIT32	EMSC3645	0.35
33440000MM	HBIT32 MM	44-53				EMSC4453	0.37
34450000MM	HBIT40 MM	45-56	80	40	HBIT40	EMSC4556	0.54
34550000MM	HBIT40 MM	55-66				EMSC5566	0.56
35560000MM	HBIT50 MM	56-74	100	50	HBIT50	EMSC5674	1.08
35740000MM	HBIT50 MM	74-92				EMSC7492	1.14
36700000MM	HBIT63 MM	70-90	63	63	HBIT63	EMSC7090	1.78
36900000MM	HBIT63 MM	90-110				EMSC90110	1.90
38900000MM	HBIT80 MM	90-130	100	100	HBIT80	EMSC90130	2.30
38910000MM	HBIT80 MM	130-170				EMSC130170	2.42
39130000MM	HBIT120 MM	130-190	100	100	HBIT120	EMSC130190	6.67
39170000MM	HBIT120 MM	170-230				EMSC170230	6.89


H•BIT

雙刃粗搪孔刀

Adjustable Twin Cutter Roughing and Semi-Finishing Boring System


粗搪孔刀本體、45°正反倒角粗搪孔刀座 Body and 45° Chamfer Cutting Insert Holder

粗搪孔刀本體、粗搪孔反搪刀座 Body and Reverse Cutting Insert Holder



45°正反倒角粗搪頭系統組合 Body and 45° Chamfer Cutting Insert Holder

訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M1	h	粗搪孔刀本體 Boring Head	45°正反倒角刀座 45° Chamfer Cutting Insert Holder	壓 板 Apron	淨 重 N.W.
32290000AW	HBIT25 AW	29-36	50	25	HBIT25	IWSC2936	apr25	0.17
32350000AW	HBIT25 AW	35-42				IWSC3542		0.17
33360000AW	HBIT32 AW	36-45	63	32	HBIT32	IWSC3645	apr32	0.35
33440000AW	HBIT32 AW	44-53				IWSC4453		0.36
34450000AW	HBIT40 AW	45-56		40	HBIT40	IWSC4556	apr40	0.53
34550000AW	HBIT40 AW	55-66				IWSC5566		0.54
35560000AW	HBIT50 AW	56-74	80	50	HBIT50	IWSC5674	apr50	1.06
35740000AW	HBIT50 AW	74-92				IWSC7492		1.09
36700000AW	HBIT63 AW	70-90		63	HBIT63	IWSC7090	apr63	1.72
36900000AW	HBIT63 AW	90-110				IWSC90110		1.78
38900000AW	HBIT80 AW	90-130			HBIT80	IWSC90130	apr80	2.21
38910000AW	HBIT80 AW	130-170				IWSC130170		2.27
39130000AW	HBIT120 AW	130-190		100	HBIT120	IWSC130190	apr120	6.48
39170000AW	HBIT120 AW	170-230				IWSC170230		6.59




粗搪反搪孔頭系統組合 Body and Reverse Cutting Insert Holder

訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M3	M2	h	粗搪孔刀本體 Boring Head	粗搪孔反搪刀座 Reverse Cutting Insert Holder	壓 板 Apron	淨 重 N.W.
32290000AK	HBIT25 AK	29-36	1-4	40	25	HBIT25	RKCC2936	apr25	0.17
32350000AK	HBIT25 AK	35-42	4-7				RKCC3542		0.18
33360000AK	HBIT32 AK	36-45	1-5	50	32	HBIT32	RKCC3645	apr32	0.36
33440000AK	HBIT32 AK	44-53	5-9				RKCC4453		0.36
34450000AK	HBIT40 AK	45-56	1-5	48	40	HBIT40	RKCC4556	apr40	0.54
34550000AK	HBIT40 AK	55-66	6-12				RKCC5566		0.55
35560000AK	HBIT50 AK	56-74	2-11	62	50	HBIT50	RKCC5674	apr50	1.07
35740000AK	HBIT50 AK	74-92	11-17				RKCC7492		1.09
36700000AK	HBIT63 AK	70-90	2-12	58	63	HBIT63	RKCC7090	apr63	1.74
36900000AK	HBIT63 AK	90-110	12-22				RKCC90110		1.79
38900000AK	HBIT80 AK	90-130	4-24			HBIT80	RKCC90130	apr80	2.23
38910000AK	HBIT80 AK	130-170	24-44				RKCC130170		2.30
39130000AK	HBIT120 AK	130-190	4-34	100	100	HBIT120	RKCC130190	apr120	6.49
39170000AK	HBIT120 AK	170-230	24-54				RKCC170230		6.59

Stanny®

搪孔刀柄、粗搪孔刀本體、粗搪孔刀座 Taper Shank, Body and Cutting Insert Holder



整支 SET

MAS403 BT-H•BIT 雙刃粗搪孔刀(AA type)

MAS403 BT and H•BIT Adjustable Twin Cutter Boring Head (AA type)


訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M	L	粗搪孔系統組合 Adjustable Twin Cutter Boring System				淨 重 N.W.
					搪孔刀柄 Taper Shank	粗搪孔刀本體 Boring Head	粗搪孔刀座 Cutting Insert Holder		
32291306AA	BT30-HBIT25-60	AA 29-36	60	85	BT30-H25-35	HBIT25	SACC2936	SACC2936	0.57
32291307AA	BT30-HBIT25-75	AA 29-36	75	105	BT30-H25-55		SACC3542	SACC3542	0.66
32351306AA	BT30-HBIT25-60	AA 35-42	60	85	BT30-H25-35		SACC3645	SACC3645	0.59
32351307AA	BT30-HBIT25-75	AA 35-42	75	105	BT30-H25-55		SACC4453	SACC4453	0.68
33361307AA	BT30-HBIT32-75	AA 36-45	75	98	BT30-H32-35	HBIT32	SACC3645	SACC3645	0.82
33361309AA	BT30-HBIT32-93	AA 36-45	93	118	BT30-H32-55		SACC4453	SACC4453	0.91
33441307AA	BT30-HBIT32-75	AA 44-53	75	98	BT30-H32-35		SACC4556	SACC4556	0.82
33441309AA	BT30-HBIT32-93	AA 44-53	93	118	BT30-H32-55		SACC5566	SACC5566	0.91
34451307AA	BT30-HBIT40-75	AA 45-56	75	98	BT30-H40-35	HBIT40	SACC4556	SACC4556	1.01
34451309AA	BT30-HBIT40-93	AA 45-56	93	118	BT30-H40-55		SACC5566	SACC5566	1.19
34551307AA	BT30-HBIT40-75	AA 55-66	75	98	BT30-H40-35		SACC5674	SACC5674	1.03
34551309AA	BT30-HBIT40-93	AA 55-66	93	118	BT30-H40-55		SACC7492	SACC7492	1.21
35561309AA	BT30-HBIT50-93	AA 56-74	93	125	BT30-H50-45	HBIT50	SACC5674	SACC5674	2.25
35741309AA	BT30-HBIT50-93	AA 74-92	93	125	BT30-H50-45		SACC7492	SACC7492	2.29
32291406AA	BT40-HBIT25-60	AA 29-36	60	90	BT40-H25-40	HBIT25	SACC2936	SACC2936	1.17
32291409AA	BT40-HBIT25-90	AA 29-36	90	122	BT40-H25-72		SACC3542	SACC3542	1.29
32291412AA	BT40-HBIT25-123	AA 29-36	123	150	BT40-H25-100		SACC3645	SACC3645	1.64
32351406AA	BT40-HBIT25-60	AA 35-42	60	90	BT40-H25-40		SACC4453	SACC4453	1.19
32351409AA	BT40-HBIT25-90	AA 35-42	90	122	BT40-H25-72	HBIT32	SACC4556	SACC4556	1.31
32351412AA	BT40-HBIT25-123	AA 35-42	123	150	BT40-H25-100		SACC5566	SACC5566	1.66
33361407AA	BT40-HBIT32-75	AA 36-45	75	103	BT40-H32-40		SACC5674	SACC5674	1.37
33361410AA	BT40-HBIT32-102	AA 36-45	102	135	BT40-H32-72		SACC7090	SACC7090	1.57
33361415AA	BT40-HBIT32-150	AA 36-45	150	183	BT40-H32-120	HBIT40	SACC7090	SACC7090	1.92
33441407AA	BT40-HBIT32-75	AA 44-53	75	103	BT40-H32-40		SACC90110	SACC90110	1.37
33441410AA	BT40-HBIT32-102	AA 44-53	102	135	BT40-H32-72		SACC90130	SACC90130	1.57
33441415AA	BT40-HBIT32-150	AA 44-53	150	183	BT40-H32-120		SACC130170	SACC130170	1.92
34451407AA	BT40-HBIT40-73	AA 45-56	73	103	BT40-H40-40	HBIT50	SACC4556	SACC4556	1.61
34451410AA	BT40-HBIT40-102	AA 45-56	102	135	BT40-H40-72		SACC5566	SACC5566	1.87
34451416AA	BT40-HBIT40-162	AA 45-56	162	193	BT40-H40-130		SACC5674	SACC5674	2.51
34551407AA	BT40-HBIT40-73	AA 55-66	73	103	BT40-H40-40		SACC7492	SACC7492	1.63
34551410AA	BT40-HBIT40-102	AA 55-66	102	135	BT40-H40-72	HBIT63	SACC7492	SACC7492	1.89
34551416AA	BT40-HBIT40-162	AA 55-66	162	193	BT40-H40-130		SACC90110	SACC90110	2.53
35561410AA	BT40-HBIT50-102	AA 56-74	102	130	BT40-H50-50		SACC90130	SACC90130	2.25
35561418AA	BT40-HBIT50-182	AA 56-74	182	210	BT40-H50-130		SACC130170	SACC130170	3.30
35741410AA	BT40-HBIT50-102	AA 74-92	102	130	BT40-H50-50	HBIT80	SACC7492	SACC7492	2.29
35741418AA	BT40-HBIT50-182	AA 74-92	182	210	BT40-H50-130		SACC90110	SACC90110	3.34
36701410AA	BT40-HBIT63-102	AA 70-90	102	135	BT40-H63-55		SACC90130	SACC90130	3.02
36901410AA	BT40-HBIT63-102	AA 90-110					SACC130170	SACC130170	3.14
38901410AA	BT40-HBIT80-102	AA 90-130				SACC7090	SACC7090	3.54	
38911410AA	BT40-HBIT80-102	AA 130-170				SACC90110	SACC90110	3.68	

訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M	L	粗搪孔系統組合 Adjustable Twin Cutter Boring System				淨 重 N.W.
					搪孔刀柄 Taper Shank	粗搪孔刀本體 Boring Head	粗搪孔刀座 Cutting Insert Holder		
32291510AA	BT50-HBIT25-102	AA 29-36	102	165	BT50-H25-115	HBIT25	SACC2936	SACC2936	4.32
32291512AA	BT50-HBIT25-127	AA 29-36	127	190	BT50-H25-140				4.47
32291515AA	BT50-HBIT25-152	AA 29-36	152	215	BT50-H25-165				4.57
32351510AA	BT50-HBIT25-102	AA 35-42	102	165	BT50-H25-115		SACC3542	SACC3542	4.34
32351512AA	BT50-HBIT25-127	AA 35-42	127	190	BT50-H25-140				4.49
32351515AA	BT50-HBIT25-152	AA 35-42	152	215	BT50-H25-165				4.59
33361513AA	BT50-HBIT32-135	AA 36-45	135	198	BT50-H32-135	HBIT32	SACC3645	SACC3645	4.92
33361516AA	BT50-HBIT32-165	AA 36-45	165	228	BT50-H32-165				5.17
33361520AA	BT50-HBIT32-200	AA 36-45	200	263	BT50-H32-200				5.37
33441513AA	BT50-HBIT32-135	AA 44-53	135	198	BT50-H32-135		SACC4453	SACC4453	4.92
33441516AA	BT50-HBIT32-165	AA 44-53	165	228	BT50-H32-165				5.17
33441520AA	BT50-HBIT32-200	AA 44-53	200	263	BT50-H32-200				5.37
34451513AA	BT50-HBIT40-135	AA 45-56	135	198	BT50-H40-135	HBIT40	SACC4556	SACC4556	5.46
34451518AA	BT50-HBIT40-185	AA 45-56	185	248	BT50-H40-185				6.01
34451522AA	BT50-HBIT40-225	AA 45-56	225	288	BT50-H40-225				6.46
34451526AA	BT50-HBIT40-265	AA 45-56	265	328	BT50-H40-265				6.86
34551513AA	BT50-HBIT40-135	AA 55-66	135	198	BT50-H40-135		SACC5566	SACC5566	5.48
34551518AA	BT50-HBIT40-185	AA 55-66	185	248	BT50-H40-185				6.03
34551522AA	BT50-HBIT40-225	AA 55-66	225	288	BT50-H40-225				6.48
34551526AA	BT50-HBIT40-265	AA 55-66	265	328	BT50-H40-265				6.88
35561510AA	BT50-HBIT50-102	AA 56-74	102	145	BT50-H50-65	HBIT50	SACC5674	SACC5674	4.90
35561520AA	BT50-HBIT50-202	AA 56-74	202	245	BT50-H50-165				6.45
35561525AA	BT50-HBIT50-252	AA 56-74	252	295	BT50-H50-215				7.40
35561530AA	BT50-HBIT50-302	AA 56-74	302	345	BT50-H50-265				8.30
35741510AA	BT50-HBIT50-102	AA 74-92	102	145	BT50-H50-65		SACC7492	SACC7492	4.94
35741520AA	BT50-HBIT50-202	AA 74-92	202	245	BT50-H50-165				6.49
35741525AA	BT50-HBIT50-252	AA 74-92	252	295	BT50-H50-215				7.44
35741530AA	BT50-HBIT50-302	AA 74-92	302	345	BT50-H50-265				8.34
36701512AA	BT50-HBIT63-122	AA 70-90	122	165	BT50-H63-85	HBIT63	SACC7090	SACC7090	6.08
36701520AA	BT50-HBIT63-202	AA 70-90	202	245	BT50-H63-165				7.98
36701525AA	BT50-HBIT63-252	AA 70-90	252	295	BT50-H63-215				9.53
36701530AA	BT50-HBIT63-302	AA 70-90	302	345	BT50-H63-265				10.48
36701535AA	BT50-HBIT63-352	AA 70-90	352	395	BT50-H63-315		SACC90110	SACC90110	13.73
36901512AA	BT50-HBIT63-122	AA 90-110	122	165	BT50-H63-85				6.20
36901520AA	BT50-HBIT63-202	AA 90-110	202	245	BT50-H63-165				8.10
36901525AA	BT50-HBIT63-252	AA 90-110	252	295	BT50-H63-215				9.65
36901530AA	BT50-HBIT63-302	AA 90-110	302	345	BT50-H63-265	HBIT80	SACC90130	SACC90130	10.60
36901535AA	BT50-HBIT63-352	AA 90-110	352	395	BT50-H63-315				13.85
38901512AA	BT50-HBIT80-122	AA 90-130	122	165	BT50-H63-85		SACC90130	SACC90130	6.60
38901520AA	BT50-HBIT80-202	AA 90-130	202	245	BT50-H63-165				8.50
38901525AA	BT50-HBIT80-252	AA 90-130	252	295	BT50-H63-215				10.05
38901530AA	BT50-HBIT80-302	AA 90-130	302	345	BT50-H63-265				11.00
38901535AA	BT50-HBIT80-352	AA 90-130	352	395	BT50-H63-315		SACC130170	SACC130170	14.25
38911512AA	BT50-HBIT80-122	AA 130-170	122	165	BT50-H63-85				6.74
38911520AA	BT50-HBIT80-202	AA 130-170	202	245	BT50-H63-165				8.64
38911525AA	BT50-HBIT80-252	AA 130-170	252	295	BT50-H63-215	10.19			
38911530AA	BT50-HBIT80-302	AA 130-170	302	345	BT50-H63-265	HBIT120	SACC170230	SACC170230	11.14
38911535AA	BT50-HBIT80-352	AA 130-170	352	395	BT50-H63-315				14.39
39131515AA	BT50-HBIT120-150	AA 130-190	150	200	BT50-H100-100				12.62
39131520AA	BT50-HBIT120-200	AA 130-190	200	250	BT50-H100-150				15.27
39131525AA	BT50-HBIT120-250	AA 130-190	250	300	BT50-H100-200		18.22		
39131530AA	BT50-HBIT120-300	AA 130-190	300	350	BT50-H100-250		21.17		
39171515AA	BT50-HBIT120-150	AA 170-230	150	200	BT50-H100-100	HBIT120	SACC170230	SACC170230	12.84
39171520AA	BT50-HBIT120-200	AA 170-230	200	250	BT50-H100-150				15.49
39171525AA	BT50-HBIT120-250	AA 170-230	250	300	BT50-H100-200				18.44
39171530AA	BT50-HBIT120-300	AA 170-230	300	350	BT50-H100-250				21.39

雙刃粗搪孔刀-AB type

Adjustable Twin Cutter Roughing and Semi-Finishing Boring System

搪孔刀柄、粗搪孔刀本體、粗搪孔刀座 Taper Shank, Body and Cutting Insert Holder



整支 SET


MAS403 BT-H•BIT 雙刃粗搪孔刀(AB type)

MAS403 BT and H • BIT Adjustable Twin Cutter Boring Head (AB type)

訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M	L	粗搪孔系統組合 Adjustable Twin Cutter Boring System				淨 重 N.W.
					搪孔刀柄 Taper Shank	粗搪孔刀本體 Boring Head	粗搪孔刀座 Cutting Insert Holder		
32291306AB	BT30-HBIT25-60	AB 29-36	60	85	BT30-H25-35	HBIT25	SACC2936	SBCC2936	0.57
32291307AB	BT30-HBIT25-75	AB 29-36	75	105	BT30-H25-55				0.66
32351306AB	BT30-HBIT25-60	AB 35-42	60	85	BT30-H25-35		SACC3542	SBCC3542	0.59
32351307AB	BT30-HBIT25-75	AB 35-42	75	105	BT30-H25-55				0.68
33361307AB	BT30-HBIT32-75	AB 36-45	75	98	BT30-H32-35	HBIT32	SACC3645	SBCC3645	0.82
33361309AB	BT30-HBIT32-93	AB 36-45	93	118	BT30-H32-55				0.91
33441307AB	BT30-HBIT32-75	AB 44-53	75	98	BT30-H32-35		SACC4453	SBCC4453	0.82
33441309AB	BT30-HBIT32-93	AB 44-53	93	118	BT30-H32-55				0.91
34451307AB	BT30-HBIT40-75	AB 45-56	75	98	BT30-H40-35	HBIT40	SACC4556	SBCC4556	1.01
34451309AB	BT30-HBIT40-93	AB 45-56	93	118	BT30-H40-55				1.19
34551307AB	BT30-HBIT40-75	AB 55-66	75	98	BT30-H40-35		SACC5566	SBCC5566	1.03
34551309AB	BT30-HBIT40-93	AB 55-66	93	118	BT30-H40-55				1.21
35561309AB	BT30-HBIT50-93	AB 56-74	93	125	BT30-H50-45	HBIT50	SACC5674	SBCC5674	2.25
35741309AB	BT30-HBIT50-93	AB 74-92	93	125	BT30-H50-45		SACC7492	SBCC7492	2.29
32291406AB	BT40-HBIT25-60	AB 29-36	60	90	BT40-H25-40	HBIT25	SACC2936	SBCC2936	1.17
32291409AB	BT40-HBIT25-90	AB 29-36	90	122	BT40-H25-72				1.29
32291412AB	BT40-HBIT25-123	AB 29-36	123	150	BT40-H25-100				1.64
32351406AB	BT40-HBIT25-60	AB 35-42	60	90	BT40-H25-40				1.19
32351409AB	BT40-HBIT25-90	AB 35-42	90	122	BT40-H25-72				1.31
32351412AB	BT40-HBIT25-123	AB 35-42	123	150	BT40-H25-100				1.66
33361407AB	BT40-HBIT32-75	AB 36-45	75	103	BT40-H32-40	HBIT32	SACC3645	SBCC3645	1.37
33361410AB	BT40-HBIT32-102	AB 36-45	102	135	BT40-H32-72				1.57
33361415AB	BT40-HBIT32-150	AB 36-45	150	183	BT40-H32-120				1.92
33441407AB	BT40-HBIT32-75	AB 44-53	75	103	BT40-H32-40				1.37
33441410AB	BT40-HBIT32-102	AB 44-53	102	135	BT40-H32-72				1.57
33441415AB	BT40-HBIT32-150	AB 44-53	150	183	BT40-H32-120				1.92
34451407AB	BT40-HBIT40-73	AB 45-56	73	103	BT40-H40-40	HBIT40	SACC4556	SBCC4556	1.61
34451410AB	BT40-HBIT40-102	AB 45-56	102	135	BT40-H40-72				1.87
34451416AB	BT40-HBIT40-162	AB 45-56	162	193	BT40-H40-130				2.51
34551407AB	BT40-HBIT40-73	AB 55-66	73	103	BT40-H40-40				1.63
34551410AB	BT40-HBIT40-102	AB 55-66	102	135	BT40-H40-72				1.89
34551416AB	BT40-HBIT40-162	AB 55-66	162	193	BT40-H40-130				2.53
35561410AB	BT40-HBIT50-102	AB 56-74	102	130	BT40-H50-50	HBIT50	SACC5674	SBCC5674	2.25
35561418AB	BT40-HBIT50-182	AB 56-74	182	210	BT40-H50-130				3.30
35741410AB	BT40-HBIT50-102	AB 74-92	102	130	BT40-H50-50				2.29
35741418AB	BT40-HBIT50-182	AB 74-92	182	210	BT40-H50-130				3.34
36701410AB	BT40-HBIT63-102	AB 70-90	102	135	BT40-H63-55	HBIT63	SACC7090	SBCC7090	3.02
36901410AB	BT40-HBIT63-102	AB 90-110					SACC90110	SBCC90110	3.14
38901410AB	BT40-HBIT80-102	AB 90-130				HBIT80	SACC90130	SBCC90130	3.54
38911410AB	BT40-HBIT80-102	AB 130-170					SACC130170	SBCC130170	3.68

訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M	L	粗搪孔系統組合 Adjustable Twin Cutter Boring System				淨 重 N.W.
					搪孔刀柄 Taper Shank	粗搪孔刀本體 Boring Head	粗搪孔刀刀座 Cutting Insert Holder		
32291510AB	BT50-HBIT25-102	AB 29-36	102	165	BT50-H25-115	HBIT25	SACC2936	SBCC2936	4.32
32291512AB	BT50-HBIT25-127	AB 29-36	127	190	BT50-H25-140				4.47
32291515AB	BT50-HBIT25-152	AB 29-36	152	215	BT50-H25-165				4.57
32351510AB	BT50-HBIT25-102	AB 35-42	102	165	BT50-H25-115		SACC3542	SBCC3542	4.34
32351512AB	BT50-HBIT25-127	AB 35-42	127	190	BT50-H25-140				4.49
32351515AB	BT50-HBIT25-152	AB 35-42	152	215	BT50-H25-165				4.59
33361513AB	BT50-HBIT32-135	AB 36-45	135	198	BT50-H32-135	HBIT32	SACC3645	SBCC3645	4.92
33361516AB	BT50-HBIT32-165	AB 36-45	165	228	BT50-H32-165				5.17
33361520AB	BT50-HBIT32-200	AB 36-45	200	263	BT50-H32-200				5.37
33441513AB	BT50-HBIT32-135	AB 44-53	135	198	BT50-H32-135		SACC4453	SBCC4453	4.92
33441516AB	BT50-HBIT32-165	AB 44-53	165	228	BT50-H32-165				5.17
33441520AB	BT50-HBIT32-200	AB 44-53	200	263	BT50-H32-200				5.37
34451513AB	BT50-HBIT40-135	AB 45-56	135	198	BT50-H40-135	HBIT40	SACC4556	SBCC4556	5.46
34451518AB	BT50-HBIT40-185	AB 45-56	185	248	BT50-H40-185				6.01
34451522AB	BT50-HBIT40-225	AB 45-56	225	288	BT50-H40-225				6.46
34451526AB	BT50-HBIT40-265	AB 45-56	265	328	BT50-H40-265				6.86
34551513AB	BT50-HBIT40-135	AB 55-66	135	198	BT50-H40-135		SACC5566	SBCC5566	5.48
34551518AB	BT50-HBIT40-185	AB 55-66	185	248	BT50-H40-185				6.03
34551522AB	BT50-HBIT40-225	AB 55-66	225	288	BT50-H40-225				6.48
34551526AB	BT50-HBIT40-265	AB 55-66	265	328	BT50-H40-265				6.88
35561510AB	BT50-HBIT50-102	AB 56-74	102	145	BT50-H50-65	HBIT50	SACC5674	SBCC5674	4.90
35561520AB	BT50-HBIT50-202	AB 56-74	202	245	BT50-H50-165				6.45
35561525AB	BT50-HBIT50-252	AB 56-74	252	295	BT50-H50-215				7.40
35561530AB	BT50-HBIT50-302	AB 56-74	302	345	BT50-H50-265				8.30
35741510AB	BT50-HBIT50-102	AB 74-92	102	145	BT50-H50-65		SACC7492	SBCC7492	4.94
35741520AB	BT50-HBIT50-202	AB 74-92	202	245	BT50-H50-165				6.49
35741525AB	BT50-HBIT50-252	AB 74-92	252	295	BT50-H50-215				7.44
35741530AB	BT50-HBIT50-302	AB 74-92	302	345	BT50-H50-265				8.34
36701512AB	BT50-HBIT63-122	AB 70-90	122	165	BT50-H63-85	HBIT63	SACC7090	SBCC7090	6.08
36701520AB	BT50-HBIT63-202	AB 70-90	202	245	BT50-H63-165				7.98
36701525AB	BT50-HBIT63-252	AB 70-90	252	295	BT50-H63-215				9.53
36701530AB	BT50-HBIT63-302	AB 70-90	302	345	BT50-H63-265				10.48
36701535AB	BT50-HBIT63-352	AB 70-90	352	395	BT50-H63-315		SACC90110	SBCC90110	13.73
36901512AB	BT50-HBIT63-122	AB 90-110	122	165	BT50-H63-85				6.20
36901520AB	BT50-HBIT63-202	AB 90-110	202	245	BT50-H63-165				8.10
36901525AB	BT50-HBIT63-252	AB 90-110	252	295	BT50-H63-215				9.65
36901530AB	BT50-HBIT63-302	AB 90-110	302	345	BT50-H63-265	HBIT80	SACC90130	SBCC90130	10.60
36901535AB	BT50-HBIT63-352	AB 90-110	352	395	BT50-H63-315				13.85
38901512AB	BT50-HBIT80-122	AB 90-130	122	165	BT50-H63-85		SACC90130	SBCC90130	6.60
38901520AB	BT50-HBIT80-202	AB 90-130	202	245	BT50-H63-165				8.50
38901525AB	BT50-HBIT80-252	AB 90-130	252	295	BT50-H63-215				10.05
38901530AB	BT50-HBIT80-302	AB 90-130	302	345	BT50-H63-265				11.00
38901535AB	BT50-HBIT80-352	AB 90-130	352	395	BT50-H63-315		SACC130170	SBCC130170	14.25
38911512AB	BT50-HBIT80-122	AB 130-170	122	165	BT50-H63-85				6.74
38911520AB	BT50-HBIT80-202	AB 130-170	202	245	BT50-H63-165				8.64
38911525AB	BT50-HBIT80-252	AB 130-170	252	295	BT50-H63-215	10.19			
38911530AB	BT50-HBIT80-302	AB 130-170	302	345	BT50-H63-265	HBIT120	SACC130190	SBCC130190	11.14
38911535AB	BT50-HBIT80-352	AB 130-170	352	395	BT50-H63-315				14.39
39131515AB	BT50-HBIT120-150	AB 130-190	150	200	BT50-H100-100		SACC170230	SBCC170230	12.61
39131520AB	BT50-HBIT120-200	AB 130-190	200	250	BT50-H100-150				15.26
39131525AB	BT50-HBIT120-250	AB 130-190	250	300	BT50-H100-200				18.21
39131530AB	BT50-HBIT120-300	AB 130-190	300	350	BT50-H100-250				21.16
39171515AB	BT50-HBIT120-150	AB 170-230	150	200	BT50-H100-100	HBIT120	SACC170230	SBCC170230	12.83
39171520AB	BT50-HBIT120-200	AB 170-230	200	250	BT50-H100-150				15.48
39171525AB	BT50-HBIT120-250	AB 170-230	250	300	BT50-H100-200				18.43
39171530AB	BT50-HBIT120-300	AB 170-230	300	350	BT50-H100-250				21.38

搪孔刀柄、粗搪孔刀本體、80°粗搪孔刀座 Taper Shank, Body and 80° Cutting Insert Holder



整支 SET

MAS403 BT-H•BIT 80°雙刃粗搪孔刀 (MM type)

MAS403 BT and H•BIT Adjustable Twin Cutter Boring Head (MM type)

訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M	L	粗搪孔系統組合 Adjustable Twin Cutter Boring System				淨 重 N.W.
					搪孔刀柄 Taper Shank	粗搪孔刀本體 Boring Head	80°粗搪孔刀座 80° Cutting Insert Holder		
32291306MM	BT30-HBIT25-60	MM 29-36	60	85	BT30-H25-35	HBIT25	EMSC2936	EMSC2936	0.57
32291307MM	BT30-HBIT25-75	MM 29-36	75	105	BT30-H25-55		EMSC3542	EMSC3542	0.66
32351306MM	BT30-HBIT25-60	MM 35-42	60	85	BT30-H25-35		EMSC3542	EMSC3542	0.57
32351307MM	BT30-HBIT25-75	MM 35-42	75	105	BT30-H25-55		EMSC3542	EMSC3542	0.66
33361307MM	BT30-HBIT32-75	MM 36-45	75	98	BT30-H32-35	HBIT32	EMSC3645	EMSC3645	0.80
33361309MM	BT30-HBIT32-93	MM 36-45	93	118	BT30-H32-55		EMSC3645	EMSC3645	0.89
33441307MM	BT30-HBIT32-75	MM 44-53	75	98	BT30-H32-35		EMSC4453	EMSC4453	0.82
33441309MM	BT30-HBIT32-93	MM 44-53	93	118	BT30-H32-55		EMSC4453	EMSC4453	0.91
34451307MM	BT30-HBIT40-75	MM 45-56	75	98	BT30-H40-35	HBIT40	EMSC4556	EMSC4556	0.99
34451309MM	BT30-HBIT40-93	MM 45-56	93	118	BT30-H40-55		EMSC4556	EMSC4556	1.17
34551307MM	BT30-HBIT40-75	MM 55-66	75	98	BT30-H40-35		EMSC5566	EMSC5566	1.01
34551309MM	BT30-HBIT40-93	MM 55-66	93	118	BT30-H40-55		EMSC5566	EMSC5566	1.19
35561309MM	BT30-HBIT50-93	MM 56-74	93	125	BT30-H50-45	HBIT50	EMSC5674	EMSC5674	2.23
35741309MM	BT30-HBIT50-93	MM 74-92	93	125	BT30-H50-45		EMSC7492	EMSC7492	2.27
32291406MM	BT40-HBIT25-60	MM 29-36	60	90	BT40-H25-40	HBIT25	EMSC2936	EMSC2936	1.17
32291409MM	BT40-HBIT25-90	MM 29-36	90	122	BT40-H25-72		EMSC2936	EMSC2936	1.29
32291412MM	BT40-HBIT25-123	MM 29-36	123	150	BT40-H25-100		EMSC3542	EMSC3542	1.64
32351406MM	BT40-HBIT25-60	MM 35-42	60	90	BT40-H25-40		EMSC3542	EMSC3542	1.17
32351409MM	BT40-HBIT25-90	MM 35-42	90	122	BT40-H25-72	HBIT32	EMSC3542	EMSC3542	1.29
32351412MM	BT40-HBIT25-123	MM 35-42	123	150	BT40-H25-100		EMSC3542	EMSC3542	1.64
33361407MM	BT40-HBIT32-75	MM 36-45	75	103	BT40-H32-40		EMSC3645	EMSC3645	1.35
33361410MM	BT40-HBIT32-102	MM 36-45	102	135	BT40-H32-72		EMSC3645	EMSC3645	1.55
33361415MM	BT40-HBIT32-150	MM 36-45	150	183	BT40-H32-120	HBIT40	EMSC3645	EMSC3645	1.90
33441407MM	BT40-HBIT32-75	MM 44-53	75	103	BT40-H32-40		EMSC4453	EMSC4453	1.37
33441410MM	BT40-HBIT32-102	MM 44-53	102	135	BT40-H32-72		EMSC4453	EMSC4453	1.57
33441415MM	BT40-HBIT32-150	MM 44-53	150	183	BT40-H32-120		EMSC4453	EMSC4453	1.92
34451407MM	BT40-HBIT40-73	MM 45-56	73	103	BT40-H40-40	HBIT50	EMSC4556	EMSC4556	1.59
34451410MM	BT40-HBIT40-102	MM 45-56	102	135	BT40-H40-72		EMSC4556	EMSC4556	1.85
34451416MM	BT40-HBIT40-162	MM 45-56	162	193	BT40-H40-130		EMSC5566	EMSC5566	2.49
34551407MM	BT40-HBIT40-73	MM 55-66	73	103	BT40-H40-40		EMSC5566	EMSC5566	1.61
34551410MM	BT40-HBIT40-102	MM 55-66	102	135	BT40-H40-72	HBIT60	EMSC5566	EMSC5566	1.87
34551416MM	BT40-HBIT40-162	MM 55-66	162	193	BT40-H40-130		EMSC5566	EMSC5566	2.51
35561410MM	BT40-HBIT50-102	MM 56-74	102	130	BT40-H50-50		EMSC5674	EMSC5674	2.23
35561418MM	BT40-HBIT50-182	MM 56-74	182	210	BT40-H50-130		EMSC5674	EMSC5674	3.28
35741410MM	BT40-HBIT50-102	MM 74-92	102	130	BT40-H50-50	HBIT70	EMSC7492	EMSC7492	2.29
35741418MM	BT40-HBIT50-182	MM 74-92	182	210	BT40-H50-130		EMSC7492	EMSC7492	3.34
36701410MM	BT40-HBIT63-102	MM 70-90	102	135	BT40-H63-55	HBIT63	EMSC7090	EMSC7090	3.02
36901410MM	BT40-HBIT63-102	MM 90-110				HBIT63	EMSC90110	EMSC90110	3.14
38901410MM	BT40-HBIT80-102	MM 90-130				HBIT80	EMSC90130	EMSC90130	3.54
38911410MM	BT40-HBIT80-102	MM 130-170				HBIT80	EMSC130170	EMSC130170	3.66


訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M	L	粗搪孔系統組合 Adjustable Twin Cutter Boring System				淨 重 N.W.
					80°粗搪孔刀座 80° Cutting Insert Holder				
					搪孔刀柄 Taper Shank	粗搪孔刀本體 Boring Head			
32291510MM	BT50-HBIT25-102	MM 29-36	102	165	BT50-H25-115	HBIT25	EMSC2936	EMSC2936	4.32
32291512MM	BT50-HBIT25-127	MM 29-36	127	190	BT50-H25-140				4.47
32291515MM	BT50-HBIT25-152	MM 29-36	152	215	BT50-H25-165				4.57
32351510MM	BT50-HBIT25-102	MM 35-42	102	165	BT50-H25-115		EMSC3542	EMSC3542	4.32
32351512MM	BT50-HBIT25-127	MM 35-42	127	190	BT50-H25-140				4.47
32351515MM	BT50-HBIT25-152	MM 35-42	152	215	BT50-H25-165				4.57
33361513MM	BT50-HBIT32-135	MM 36-45	135	198	BT50-H32-135	HBIT32	EMSC3645	EMSC3645	4.90
33361516MM	BT50-HBIT32-165	MM 36-45	165	228	BT50-H32-165				5.15
33361520MM	BT50-HBIT32-200	MM 36-45	200	263	BT50-H32-200				5.35
33441513MM	BT50-HBIT32-135	MM 44-53	135	198	BT50-H32-135		EMSC4453	EMSC4453	4.92
33441516MM	BT50-HBIT32-165	MM 44-53	165	228	BT50-H32-165				5.17
33441520MM	BT50-HBIT32-200	MM 44-53	200	263	BT50-H32-200				5.37
34451513MM	BT50-HBIT40-135	MM 45-56	135	198	BT50-H40-135	HBIT40	EMSC4556	EMSC4556	5.44
34451518MM	BT50-HBIT40-185	MM 45-56	185	248	BT50-H40-185				5.99
34451522MM	BT50-HBIT40-225	MM 45-56	225	288	BT50-H40-225				6.44
34451526MM	BT50-HBIT40-265	MM 45-56	265	328	BT50-H40-265				6.84
34551513MM	BT50-HBIT40-135	MM 55-66	135	198	BT50-H40-135		EMSC5566	EMSC5566	5.46
34551518MM	BT50-HBIT40-185	MM 55-66	185	248	BT50-H40-185				6.01
34551522MM	BT50-HBIT40-225	MM 55-66	225	288	BT50-H40-225				6.46
34551526MM	BT50-HBIT40-265	MM 55-66	265	328	BT50-H40-265				6.86
35561510MM	BT50-HBIT50-102	MM 56-74	102	145	BT50-H50-65	HBIT50	EMSC5674	EMSC5674	4.88
35561520MM	BT50-HBIT50-202	MM 56-74	202	245	BT50-H50-165				6.43
35561525MM	BT50-HBIT50-252	MM 56-74	252	295	BT50-H50-215				7.38
35561530MM	BT50-HBIT50-302	MM 56-74	302	345	BT50-H50-265				8.28
35741510MM	BT50-HBIT50-102	MM 74-92	102	145	BT50-H50-65		EMSC7492	EMSC7492	4.94
35741520MM	BT50-HBIT50-202	MM 74-92	202	245	BT50-H50-165				6.49
35741525MM	BT50-HBIT50-252	MM 74-92	252	295	BT50-H50-215				7.44
35741530MM	BT50-HBIT50-302	MM 74-92	302	345	BT50-H50-265				8.34
36701512MM	BT50-HBIT63-122	MM 70-90	122	165	BT50-H63-85	HBIT63	EMSC7090	EMSC7090	6.08
36701520MM	BT50-HBIT63-202	MM 70-90	202	245	BT50-H63-165				7.98
36701525MM	BT50-HBIT63-252	MM 70-90	252	295	BT50-H63-215				9.53
36701530MM	BT50-HBIT63-302	MM 70-90	302	345	BT50-H63-265				10.48
36701535MM	BT50-HBIT63-352	MM 70-90	352	395	BT50-H63-315				13.73
36901512MM	BT50-HBIT63-122	MM 90-110	122	165	BT50-H63-85		EMSC90110	EMSC90110	6.20
36901520MM	BT50-HBIT63-202	MM 90-110	202	245	BT50-H63-165				8.10
36901525MM	BT50-HBIT63-252	MM 90-110	252	295	BT50-H63-215				9.65
36901530MM	BT50-HBIT63-302	MM 90-110	302	345	BT50-H63-265				10.60
36901535MM	BT50-HBIT63-352	MM 90-110	352	395	BT50-H63-315				13.85
38901512MM	BT50-HBIT80-122	MM 90-130	122	165	BT50-H63-85	HBIT80	EMSC90130	EMSC90130	6.60
38901520MM	BT50-HBIT80-202	MM 90-130	202	245	BT50-H63-165				8.50
38901525MM	BT50-HBIT80-252	MM 90-130	252	295	BT50-H63-215				10.05
38901530MM	BT50-HBIT80-302	MM 90-130	302	345	BT50-H63-265				11.00
38901535MM	BT50-HBIT80-352	MM 90-130	352	395	BT50-H63-315				14.25
38911512MM	BT50-HBIT80-122	MM 130-170	122	165	BT50-H63-85		EMSC130170	EMSC130170	6.72
38911520MM	BT50-HBIT80-202	MM 130-170	202	245	BT50-H63-165				8.62
38911525MM	BT50-HBIT80-252	MM 130-170	252	295	BT50-H63-215				10.17
38911530MM	BT50-HBIT80-302	MM 130-170	302	345	BT50-H63-265				11.12
38911535MM	BT50-HBIT80-352	MM 130-170	352	395	BT50-H63-315				14.37
39131515MM	BT50-HBIT120-150	MM 130-190	150	200	BT50-H100-100	HBIT120	EMSC130190	EMSC130190	12.62
39131520MM	BT50-HBIT120-200	MM 130-190	200	250	BT50-H100-150				15.27
39131525MM	BT50-HBIT120-250	MM 130-190	250	300	BT50-H100-200				18.22
39131530MM	BT50-HBIT120-300	MM 130-190	300	350	BT50-H100-250				21.17
39171515MM	BT50-HBIT120-150	MM 170-230	150	200	BT50-H100-100		EMSC170230	EMSC170230	12.84
39171520MM	BT50-HBIT120-200	MM 170-230	200	250	BT50-H100-150				15.49
39171525MM	BT50-HBIT120-250	MM 170-230	250	300	BT50-H100-200				18.44
39171530MM	BT50-HBIT120-300	MM 170-230	300	350	BT50-H100-250				21.39

H•BIT

粗搪孔刀-45°正反倒角 (AW type)

Adjustable Single Cutter Roughing and Semi-Finishing Boring System

搪孔刀柄、粗搪孔刀本體、45°正反倒角搪孔刀座、反搪孔壓板 Taper Shank, Body, 45° Chamfer Cutting Insert Holder and Apron



整支 SET

MAS403 BT-H•BIT粗搪孔刀-45°正反倒角(AW type)


MAS403 BT and H•BIT Adjustable 45° Chamfer Cutter Boring Head (AW type)

下刀徑: $D2 \geq \frac{D+HBIT}{2}$

訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M	L	粗搪孔系統組合 Adjustable Single Cutter Boring System				淨 重 N.W.
					搪孔刀柄 Taper Shank	粗搪孔刀本體 Boring Head	45°正反倒角刀座 45° Chamfer Cutting Insert Holder	反搪孔壓板 Apron	
32291306AW	BT30-HBIT25-60	AW 29-36	60	85	BT30-H25-35	HBIT25	IWSC2936	apr25	0.57
32291307AW	BT30-HBIT25-75	AW 29-36	75	105	BT30-H25-55		IWSC3542		0.66
32351306AW	BT30-HBIT25-60	AW 35-42	60	85	BT30-H25-35		IWSC3645		0.57
32351307AW	BT30-HBIT25-75	AW 35-42	75	105	BT30-H25-55		IWSC4453		0.66
33361307AW	BT30-HBIT32-75	AW 36-45	75	98	BT30-H32-35	HBIT32	IWSC3645	apr32	0.80
33361309AW	BT30-HBIT32-93	AW 36-45	93	118	BT30-H32-55		IWSC4453		0.89
33441307AW	BT30-HBIT32-75	AW 44-53	75	98	BT30-H32-35		IWSC4453		0.81
33441309AW	BT30-HBIT32-93	AW 44-53	93	118	BT30-H32-55		IWSC4453		0.90
34451307AW	BT30-HBIT40-75	AW 45-56	75	98	BT30-H40-35	HBIT40	IWSC4556	apr40	0.98
34451309AW	BT30-HBIT40-93	AW 45-56	93	118	BT30-H40-55		IWSC5566		1.16
34551307AW	BT30-HBIT40-75	AW 55-66	75	98	BT30-H40-35		IWSC5566		0.99
34551309AW	BT30-HBIT40-93	AW 55-66	93	118	BT30-H40-55		IWSC5566		1.17
35561309AW	BT30-HBIT50-93	AW 56-74	93	125	BT30-H50-45	HBIT50	IWSC5674	apr50	2.21
35741309AW	BT30-HBIT50-93	AW 74-92	93	125	BT30-H50-45		IWSC7492		2.22
32291406AW	BT40-HBIT25-60	AW 29-36	60	90	BT40-H25-40	HBIT25	IWSC2936	apr25	1.17
32291409AW	BT40-HBIT25-90	AW 29-36	90	122	BT40-H25-72		IWSC3542		1.29
32291412AW	BT40-HBIT25-123	AW 29-36	123	150	BT40-H25-100		IWSC3542		1.64
32351406AW	BT40-HBIT25-60	AW 35-42	60	90	BT40-H25-40		IWSC3542		1.17
32351409AW	BT40-HBIT25-90	AW 35-42	90	122	BT40-H25-72	HBIT32	IWSC3542	apr32	1.29
32351412AW	BT40-HBIT25-123	AW 35-42	123	150	BT40-H25-100		IWSC3645		1.64
33361407AW	BT40-HBIT32-75	AW 36-45	75	103	BT40-H32-40		IWSC3645		1.35
33361410AW	BT40-HBIT32-102	AW 36-45	102	135	BT40-H32-72		IWSC3645		1.55
33361415AW	BT40-HBIT32-150	AW 36-45	150	183	BT40-H32-120	HBIT40	IWSC4453	apr40	1.90
33441407AW	BT40-HBIT32-75	AW 44-53	75	103	BT40-H32-40		IWSC4453		1.36
33441410AW	BT40-HBIT32-102	AW 44-53	102	135	BT40-H32-72		IWSC4453		1.56
33441415AW	BT40-HBIT32-150	AW 44-53	150	183	BT40-H32-120		IWSC4453		1.91
34451407AW	BT40-HBIT40-73	AW 45-56	73	103	BT40-H40-40	HBIT50	IWSC4556	apr50	1.58
34451410AW	BT40-HBIT40-102	AW 45-56	102	135	BT40-H40-72		IWSC4556		1.84
34451416AW	BT40-HBIT40-162	AW 45-56	162	193	BT40-H40-130		IWSC5566		2.48
34551407AW	BT40-HBIT40-73	AW 55-66	73	103	BT40-H40-40		IWSC5566		1.59
34551410AW	BT40-HBIT40-102	AW 55-66	102	135	BT40-H40-72	HBIT63	IWSC5674	apr63	1.85
34551416AW	BT40-HBIT40-162	AW 55-66	162	193	BT40-H40-130		IWSC5674		2.49
35561410AW	BT40-HBIT50-102	AW 56-74	102	130	BT40-H50-50		IWSC7492		2.21
35561418AW	BT40-HBIT50-182	AW 56-74	182	210	BT40-H50-130		IWSC7492		3.26
35741410AW	BT40-HBIT50-102	AW 74-92	102	130	BT40-H50-50	HBIT80	IWSC90130	apr80	2.27
35741418AW	BT40-HBIT50-182	AW 74-92	182	210	BT40-H50-130		IWSC90110		3.32
36701410AW	BT40-HBIT63-102	AW 70-90	102	135	BT40-H63-55		IWSC7090		2.96
36901410AW	BT40-HBIT63-102	AW 90-110					IWSC90110		3.02
38901410AW	BT40-HBIT80-102	AW 90-130				IWSC90130	3.45		
38911410AW	BT40-HBIT80-102	AW 130-170				IWSC130170	3.51		

訂貨編號 Order No.	規 格 Model	範 圍 Boring Range øDMin-øDMax	M	L	Adjustable Single Cutter Boring System				淨 重 N.W.	
					搪孔刀柄 Taper Shank	粗搪孔刀本體 Boring Head	45°正反倒角刀座 45° Chamfer Cutting Insert Holder	反搪孔壓板 Apron		
32291510AW	BT50-HBIT25-102	AW 29-36	102	165	BT50-H25-115	HBIT25	IWSC2936	apr25	4.32	
32291512AW	BT50-HBIT25-127	AW 29-36	127	190	BT50-H25-140				4.47	
32291515AW	BT50-HBIT25-152	AW 29-36	152	215	BT50-H25-165				4.57	
32351510AW	BT50-HBIT25-102	AW 35-42	102	165	BT50-H25-115		IWSC3542		4.32	
32351512AW	BT50-HBIT25-127	AW 35-42	127	190	BT50-H25-140				4.47	
32351515AW	BT50-HBIT25-152	AW 35-42	152	215	BT50-H25-165				4.57	
33361513AW	BT50-HBIT32-135	AW 36-45	135	198	BT50-H32-135	HBIT32	IWSC3645	apr32	4.90	
33361516AW	BT50-HBIT32-165	AW 36-45	165	228	BT50-H32-165				5.15	
33361520AW	BT50-HBIT32-200	AW 36-45	200	263	BT50-H32-200				5.35	
33441513AW	BT50-HBIT32-135	AW 44-53	135	198	BT50-H32-135		IWSC4453		4.91	
33441516AW	BT50-HBIT32-165	AW 44-53	165	228	BT50-H32-165				5.16	
33441520AW	BT50-HBIT32-200	AW 44-53	200	263	BT50-H32-200				5.36	
34451513AW	BT50-HBIT40-135	AW 45-56	135	198	BT50-H40-135	HBIT40	IWSC4556	apr40	5.43	
34451518AW	BT50-HBIT40-185	AW 45-56	185	248	BT50-H40-185				5.98	
34451522AW	BT50-HBIT40-225	AW 45-56	225	288	BT50-H40-225				6.43	
34451526AW	BT50-HBIT40-265	AW 45-56	265	328	BT50-H40-265				6.83	
34551513AW	BT50-HBIT40-135	AW 55-66	135	198	BT50-H40-135		IWSC5566		5.44	
34551518AW	BT50-HBIT40-185	AW 55-66	185	248	BT50-H40-185				5.99	
34551522AW	BT50-HBIT40-225	AW 55-66	225	288	BT50-H40-225				6.44	
34551526AW	BT50-HBIT40-265	AW 55-66	265	328	BT50-H40-265				6.84	
35561510AW	BT50-HBIT50-102	AW 56-74	102	145	BT50-H50-65	HBIT50	IWSC5674	apr50	4.86	
35561520AW	BT50-HBIT50-202	AW 56-74	202	245	BT50-H50-165				6.41	
35561525AW	BT50-HBIT50-252	AW 56-74	252	295	BT50-H50-215				7.36	
35561530AW	BT50-HBIT50-302	AW 56-74	302	345	BT50-H50-265				8.26	
35741510AW	BT50-HBIT50-102	AW 74-92	102	145	BT50-H50-65		IWSC7492		4.89	
35741520AW	BT50-HBIT50-202	AW 74-92	202	245	BT50-H50-165				6.44	
35741525AW	BT50-HBIT50-252	AW 74-92	252	295	BT50-H50-215				7.39	
35741530AW	BT50-HBIT50-302	AW 74-92	302	345	BT50-H50-265				8.29	
36701512AW	BT50-HBIT63-122	AW 70-90	122	165	BT50-H63-85	HBIT63	IWSC7090	apr63	6.02	
36701520AW	BT50-HBIT63-202	AW 70-90	202	245	BT50-H63-165				7.92	
36701525AW	BT50-HBIT63-252	AW 70-90	252	295	BT50-H63-215				9.47	
36701530AW	BT50-HBIT63-302	AW 70-90	302	345	BT50-H63-265				10.42	
36701535AW	BT50-HBIT63-352	AW 70-90	352	395	BT50-H63-315				13.67	
36901512AW	BT50-HBIT63-122	AW 90-110	122	165	BT50-H63-85		IWSC90110		6.08	
36901520AW	BT50-HBIT63-202	AW 90-110	202	245	BT50-H63-165				7.98	
36901525AW	BT50-HBIT63-252	AW 90-110	252	295	BT50-H63-215				9.53	
36901530AW	BT50-HBIT63-302	AW 90-110	302	345	BT50-H63-265				10.48	
36901535AW	BT50-HBIT63-352	AW 90-110	352	395	BT50-H63-315				13.73	
38901512AW	BT50-HBIT80-122	AW 90-130	122	165	BT50-H63-85	HBIT80	IWSC90130	apr80	6.51	
38901520AW	BT50-HBIT80-202	AW 90-130	202	245	BT50-H63-165				8.41	
38901525AW	BT50-HBIT80-252	AW 90-130	252	295	BT50-H63-215				9.96	
38901530AW	BT50-HBIT80-302	AW 90-130	302	345	BT50-H63-265				10.91	
38901535AW	BT50-HBIT80-352	AW 90-130	352	395	BT50-H63-315				14.16	
38911512AW	BT50-HBIT80-122	AW 130-170	122	165	BT50-H63-85		IWSC130170		6.57	
38911520AW	BT50-HBIT80-202	AW 130-170	202	245	BT50-H63-165				8.47	
38911525AW	BT50-HBIT80-252	AW 130-170	252	295	BT50-H63-215				10.02	
38911530AW	BT50-HBIT80-302	AW 130-170	302	345	BT50-H63-265				10.97	
38911535AW	BT50-HBIT80-352	AW 130-170	352	395	BT50-H63-315				14.22	
39131515AW	BT50-HBIT120-150	AW 130-190	150	200	BT50-H100-100	HBIT120	IWSC130190	apr120	12.43	
39131520AW	BT50-HBIT120-200	AW 130-190	200	250	BT50-H100-150				15.08	
39131525AW	BT50-HBIT120-250	AW 130-190	250	300	BT50-H100-200				18.03	
39131530AW	BT50-HBIT120-300	AW 130-190	300	350	BT50-H100-250		IWSC170230		20.98	
39171515AW	BT50-HBIT120-150	AW 170-230	150	200	BT50-H100-100				12.54	
39171520AW	BT50-HBIT120-200	AW 170-230	200	250	BT50-H100-150				15.19	
39171525AW	BT50-HBIT120-250	AW 170-230	250	300	BT50-H100-200				18.14	
39171530AW	BT50-HBIT120-300	AW 170-230	300	350	BT50-H100-250				21.09	

搪孔刀柄、粗搪孔刀本體、粗搪孔反搪刀座、反搪孔壓板 Taper Shank, Body, Reverse Cutting Insert Holder and Apron



整支 SET

MAS403 BT-H•BIT 粗搪孔刀－反搪(AK type)

MAS403 BT and H•BIT Adjustable Single Reverse Cutter Boring Head

$$\text{下刀徑: } D2 \geq \frac{D + H_{BIT}}{2}$$

訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M3	M	L	粗搪孔反搪系統組合 Adjustable Single Reverse Cutter Boring System				淨 重 N.W.	
						搪孔刀柄 Taper Shank	粗搪孔刀本體 Boring Head	粗搪孔反搪刀座 Reverse Cutting Insert Holder	反搪孔壓板 Apron		
32291304AK	BT30-HBIT25-48	AK 29-36	1-4	48	86	BT30-H25-35	HBIT25	RKCC2936	apr25	0.57	
32291306AK	BT30-HBIT25-63	AK 29-36	1-4	63	106	BT30-H25-55				0.66	
32351304AK	BT30-HBIT25-48	AK 35-42	4-7	48	86	BT30-H25-35				0.58	
32351306AK	BT30-HBIT25-63	AK 35-42	4-7	63	106	BT30-H25-55		RKCC3542		0.67	
33361306AK	BT30-HBIT32-63	AK 36-45	1-5	63	96	BT30-H32-35	HBIT32	RKCC3645	apr32	0.81	
33361308AK	BT30-HBIT32-81	AK 36-45	1-5	81	116	BT30-H32-55				0.90	
33441306AK	BT30-HBIT32-63	AK 44-53	5-9	63	96	BT30-H32-35		RKCC4453		0.81	
33441308AK	BT30-HBIT32-81	AK 44-53	5-9	81	116	BT30-H32-55				0.90	
34451305AK	BT30-HBIT40-59	AK 45-56	1-5	59	98	BT30-H40-35	HBIT40	RKCC4556	apr40	0.99	
34451307AK	BT30-HBIT40-77	AK 45-56	1-5	77	118	BT30-H40-55				1.17	
34551305AK	BT30-HBIT40-59	AK 55-66	6-12	59	98	BT30-H40-35		RKCC5566		1.00	
34551307AK	BT30-HBIT40-77	AK 55-66	6-12	77	118	BT30-H40-55				1.18	
35561307AK	BT30-HBIT50-75	AK 56-74	2-11	75	124	BT30-H50-45	HBIT50	RKCC5674	apr50	1.64	
35741307AK	BT30-HBIT50-75	AK 74-92	11-17	75	124	BT30-H50-45		RKCC7492		1.66	
32291404AK	BT40-HBIT25-48	AK 29-36	1-4	48	91	BT40-H25-40	HBIT25	RKCC2936	apr25	1.17	
32291407AK	BT40-HBIT25-78	AK 29-36	1-4	78	123	BT40-H25-72					1.29
32291411AK	BT40-HBIT25-111	AK 29-36	1-4	111	151	BT40-H25-100					1.64
32351404AK	BT40-HBIT25-48	AK 35-42	4-7	48	91	BT40-H25-40		RKCC3542		1.18	
32351407AK	BT40-HBIT25-78	AK 35-42	4-7	78	123	BT40-H25-72				1.30	
32351411AK	BT40-HBIT25-111	AK 35-42	4-7	111	151	BT40-H25-100				1.65	
33361406AK	BT40-HBIT32-63	AK 36-45	1-5	63	101	BT40-H32-40	HBIT32	RKCC3645	apr32	1.36	
33361409AK	BT40-HBIT32-90	AK 36-45	1-5	90	133	BT40-H32-72					1.56
33361413AK	BT40-HBIT32-138	AK 36-45	1-5	138	181	BT40-H32-120					1.91
33441406AK	BT40-HBIT32-63	AK 44-53	5-9	63	101	BT40-H32-40		RKCC4453		1.36	
33441409AK	BT40-HBIT32-90	AK 44-53	5-9	90	133	BT40-H32-72				1.56	
33441413AK	BT40-HBIT32-138	AK 44-53	5-9	138	181	BT40-H32-120				1.91	
34451405AK	BT40-HBIT40-57	AK 45-56	1-5	57	103	BT40-H40-40	HBIT40	RKCC4556	apr40	1.59	
34451408AK	BT40-HBIT40-86	AK 45-56	1-5	86	135	BT40-H40-72					1.85
34451414AK	BT40-HBIT40-146	AK 45-56	1-5	146	193	BT40-H40-130					2.49
34551405AK	BT40-HBIT40-57	AK 55-66	6-12	57	103	BT40-H40-40		RKCC5566		1.60	
34551408AK	BT40-HBIT40-86	AK 55-66	6-12	86	135	BT40-H40-72				1.86	
34551414AK	BT40-HBIT40-146	AK 55-66	6-12	146	193	BT40-H40-130				2.50	
35561408AK	BT40-HBIT50-84	AK 56-74	2-11	84	129	BT40-H50-50	HBIT50	RKCC5674	apr50	2.22	
35561416AK	BT40-HBIT50-164	AK 56-74	2-11	164	209	BT40-H50-130					3.27
35741408AK	BT40-HBIT50-84	AK 74-92	11-17	84	129	BT40-H50-50		RKCC7492		2.24	
35741416AK	BT40-HBIT50-164	AK 74-92	11-17	164	209	BT40-H50-130					3.29
36701407AK	BT40-HBIT63-79	AK 70-90	2-12	79	135	BT40-H63-55	HBIT63	RKCC7090	apr63	2.98	
36901407AK	BT40-HBIT63-79	AK 90-110	12-22					RKCC90110		3.03	
38901407AK	BT40-HBIT80-79	AK 90-130	4-24				HBIT80	RKCC90130	apr80	3.47	
38911407AK	BT40-HBIT80-79	AK 130-170	24-44					RKCC130170		3.54	

訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDMin-øDMax	M3	M	L	粗搪孔反搪系統組合 Adjustable Single Reverse Cutter Boring System				淨 重 N.W.
						搪孔刀柄 Taper Shank	粗搪孔刀本體 Boring Head	粗搪孔反搪刀座 Reverse Cutting Insert Holder	反搪孔壓板 Apron	
32291509AK	BT50-HBIT25-90	AK 29-36	1-4	90	166	BT50-H25-115	HBIT25	RKCC2936	apr25	4.32
32291511AK	BT50-HBIT25-115	AK 29-36	1-4	115	191	BT50-H25-140				4.47
32291514AK	BT50-HBIT25-140	AK 29-36	1-4	140	216	BT50-H25-165		RKCC3542		4.57
32351509AK	BT50-HBIT25-90	AK 35-42	4-7	90	166	BT50-H25-115				4.33
32351511AK	BT50-HBIT25-115	AK 35-42	4-7	115	191	BT50-H25-140				4.48
32351514AK	BT50-HBIT25-140	AK 35-42	4-7	140	216	BT50-H25-165			4.58	
33361512AK	BT50-HBIT32-123	AK 36-45	1-5	123	196	BT50-H32-135	HBIT32	RKCC3645	apr32	4.91
33361515AK	BT50-HBIT32-153	AK 36-45	1-5	153	226	BT50-H32-165				5.16
33361518AK	BT50-HBIT32-188	AK 36-45	1-5	188	261	BT50-H32-200		5.36		
33441512AK	BT50-HBIT32-123	AK 44-53	5-9	123	196	BT50-H32-135		RKCC4453		4.91
33441515AK	BT50-HBIT32-153	AK 44-53	5-9	153	226	BT50-H32-165				5.16
33441518AK	BT50-HBIT32-188	AK 44-53	5-9	188	261	BT50-H32-200	5.36			
34451511AK	BT50-HBIT40-119	AK 45-56	1-5	119	198	BT50-H40-135	HBIT40	RKCC4556	apr40	5.44
34451516AK	BT50-HBIT40-169	AK 45-56	1-5	169	248	BT50-H40-185				5.99
34451520AK	BT50-HBIT40-209	AK 45-56	1-5	209	288	BT50-H40-225		6.44		
34451524AK	BT50-HBIT40-249	AK 45-56	1-5	249	328	BT50-H40-265		RKCC5566		6.84
34551511AK	BT50-HBIT40-119	AK 55-66	6-12	119	198	BT50-H40-135				5.45
34551516AK	BT50-HBIT40-169	AK 55-66	6-12	169	248	BT50-H40-185	6.00			
34551520AK	BT50-HBIT40-209	AK 55-66	6-12	209	288	BT50-H40-225			6.45	
34551524AK	BT50-HBIT40-249	AK 55-66	6-12	249	328	BT50-H40-265			6.85	
35561508AK	BT50-HBIT50-84	AK 56-74	2-11	84	144	BT50-H50-65	HBIT50	RKCC5674	apr50	4.87
35561518AK	BT50-HBIT50-184	AK 56-74	2-11	184	244	BT50-H50-165				6.42
35561523AK	BT50-HBIT50-234	AK 56-74	2-11	234	294	BT50-H50-215		7.37		
35561528AK	BT50-HBIT50-284	AK 56-74	2-11	284	344	BT50-H50-265		8.27		
35741508AK	BT50-HBIT50-84	AK 74-92	11-17	84	144	BT50-H50-65		RKCC7492		4.89
35741518AK	BT50-HBIT50-184	AK 74-92	11-17	184	244	BT50-H50-165	6.44			
35741523AK	BT50-HBIT50-234	AK 74-92	11-17	234	294	BT50-H50-215	7.39			
35741528AK	BT50-HBIT50-284	AK 74-92	11-17	284	344	BT50-H50-265			8.29	
36701509AK	BT50-HBIT63-99	AK 70-90	2-12	99	165	BT50-H63-85	HBIT63	RKCC7090	apr63	6.04
36701517AK	BT50-HBIT63-179	AK 70-90	2-12	179	245	BT50-H63-165				7.94
36701522AK	BT50-HBIT63-229	AK 70-90	2-12	229	295	BT50-H63-215		9.49		
36701527AK	BT50-HBIT63-279	AK 70-90	2-12	279	345	BT50-H63-265		10.44		
36701532AK	BT50-HBIT63-329	AK 70-90	2-12	329	395	BT50-H63-315		13.69		
36901509AK	BT50-HBIT63-99	AK 90-110	12-22	99	165	BT50-H63-85	RKCC90110		6.09	
36901517AK	BT50-HBIT63-179	AK 90-110	12-22	179	245	BT50-H63-165			7.99	
36901522AK	BT50-HBIT63-229	AK 90-110	12-22	229	295	BT50-H63-215			9.54	
36901527AK	BT50-HBIT63-279	AK 90-110	12-22	279	345	BT50-H63-265			10.49	
36901532AK	BT50-HBIT63-329	AK 90-110	12-22	329	395	BT50-H63-315			13.74	
38901509AK	BT50-HBIT80-99	AK 90-130	4-24	99	165	BT50-H63-85	HBIT80	RKCC90130	apr80	6.53
38901517AK	BT50-HBIT80-179	AK 90-130	4-24	179	245	BT50-H63-165				8.43
38901522AK	BT50-HBIT80-229	AK 90-130	4-24	229	295	BT50-H63-215		9.98		
38901527AK	BT50-HBIT80-279	AK 90-130	4-24	279	345	BT50-H63-265		10.93		
38901532AK	BT50-HBIT80-329	AK 90-130	4-24	329	395	BT50-H63-315		14.18		
38911509AK	BT50-HBIT80-99	AK 130-170	24-44	99	165	BT50-H63-85	RKCC130170		6.60	
38911517AK	BT50-HBIT80-179	AK 130-170	24-44	179	245	BT50-H63-165			8.50	
38911522AK	BT50-HBIT80-229	AK 130-170	24-44	229	295	BT50-H63-215			10.05	
38911527AK	BT50-HBIT80-279	AK 130-170	24-44	279	345	BT50-H63-265			11.00	
38911532AK	BT50-HBIT80-329	AK 130-170	24-44	329	395	BT50-H63-315			14.25	
39131515AK	BT50-HBIT120-150	AK 130-190	4-34	150	200	BT50-H100-100	HBIT120	RKCC130190	apr120	12.44
39131520AK	BT50-HBIT120-200	AK 130-190	4-34	200	250	BT50-H100-150				15.09
39131525AK	BT50-HBIT120-250	AK 130-190	4-34	250	300	BT50-H100-200		18.04		
39131530AK	BT50-HBIT120-300	AK 130-190	4-34	300	350	BT50-H100-250		20.99		
39171515AK	BT50-HBIT120-150	AK 170-230	24-54	150	200	BT50-H100-100		12.54		
39171520AK	BT50-HBIT120-200	AK 170-230	24-54	200	250	BT50-H100-150	RKCC170230		15.19	
39171525AK	BT50-HBIT120-250	AK 170-230	24-54	250	300	BT50-H100-200			18.14	
39171530AK	BT50-HBIT120-300	AK 170-230	24-54	300	350	BT50-H100-250			21.09	