

NBH2084

微調精搪孔系統 Boring System

搪孔刀柄 Taper Shank
精搪孔刀本體 Body
精搪孔刀桿 Cutting Bar



NBH2084微調精搪孔系統—搪孔刀柄 Taper Shank for NBH2084 Boring System

訂貨編號 Order No.	規格 Model	TYPE	淨重 N.W.
20808801	R8		1.0
20800301	NT30	inch or mm	0.8
20800401	NT40	inch or mm	1.2
20800501	NT50	inch or mm	3.6
20801410	BT40	MAS403	1.8
20801510	BT50	MAS403 A or B	4.5
20802410	ISO40	DIN69871A	1.7
20802510	ISO50	DIN69871A	4.0
20806410	MT4	A or B (inch or mm)	1.2
20806510	MT5	A or B (inch or mm)	2.1




NBH2084微調精搪孔系統—精搪孔刀本體 Body for NBH2084 Boring System

訂貨編號 Order No.	規格 Model	刀徑 Cutting Bar	板手 Wrench	淨重 N.W.
20840000	NBH2084	ø 20	○ 4 ○ 6	3.0



NBH2084微調精搪孔系統—精搪孔刀桿 Cutting Bar for NBH2084 Boring System


訂貨編號 Order No.	規 格 Model	範 圍 D Boring Range øDmin-øDmax	深 度 DM	L	系 統 System	刀 片 Insert	螺 絲 Bolt	板 手 Wrench	淨 重 N.W.	
20010832	BJ2008-32	8-11	32	80	NBH2084	TBGT0601..L	SB-1STR-M2	T6	0.12	
20011040	BJ2010-40	10-13	40	87					0.12	
20011253	BJ2012-53	12-17	53	98		TPGH0902..L	SB-2TR-M2.5	T8	0.12	
20011668	BJ2016-68	16-21	68	110					0.16	
20012083	BJ2020-83	20-125	83	123		TPGH1103..L	SB-3TR-M3		0.22	
20012596	BJ2025-96	25-130	96	137					0.24	
20013011	BJ2030-115	30-135	115	152					0.38	
20012020	BJ2020-L	120-280	84+BT L1	100					0.46	



NBH2084

微調精搪孔系統 Boring System

整組 SET $\phi 8 \sim \phi 280$




訂貨編號 Order No.	規格 Model	範圍 D Boring Range $\phi D_{min} - \phi D_{max}$	組合系統-主軸柄規格 Taper Shank	淨重 N.W.
20908808	R8-NBH2084	8-280	R8-UNF7/16-20-NBH2084	10.0
20900308	NT30-NBH2084	8-280	DIN2080 ISO30-NBH2084	9.8
20900408	NT40-NBH2084	8-280	DIN2080 ISO40-NBH2084	10.3
20900510	NT50-NBH2084	8-280	DIN2080 ISO50-NBH2084	10.8
20906408	MT4-NBH2084	8-280	DIN228A MT4-NBH2084	10.3
20906508	MT5-NBH2084	8-280	DIN228A MT5-NBH2084	10.8
20901410	BT40-NBH2084	8-280	MAS403 BT40-NBH2084	9.0
20901510	BT50-NBH2084	8-280	MAS403 BT50-NBH2084	11.7
20902410	SK40-NBH2084	8-280	DIN69871A ISO40-NBH2084	10.7
20902510	SK50-NBH2084	8-280	DIN69871A ISO50-NBH2084	13.0

訂貨編號 Order No.	精搪孔刀桿 Cutting Bar	範圍 D Boring Range $\phi D_{min} - \phi D_{max}$	深度 DM	刀片 Insert	螺絲 Bolt	扳手 Wrench	淨重 N.W.
20010832	BJ2008-32	8-11	32	TBGT0601..L	SB-1STR-M2	T6	0.12
20011040	BJ2010-40	10-13	40				0.12
20011253	BJ2012-53	12-17	53	TPGH0902..L	SB-2TR-M2.5		0.12
20011668	BJ2016-68	16-21	68				0.16
20012083	BJ2020-83	20-125	83			T8	0.22
20012596	BJ2025-96	25-130	96	TPGH1103..L	SB-3TR-M3		0.24
20013011	BJ2030-115	30-135	115				0.38
20012020	BJ2020-L	120-280	84+BT L1				0.46

2084A-RBH

微調精搪孔系統 Boring System

搪孔刀柄 Taper Shank
精搪孔刀本體 Body
精搪孔刀桿 Cutting Bar



2084A-RBH微調精搪孔系統－搪孔刀柄 2084A Taper Shank for RBH Boring System


訂貨編號 Order No.	規格 Model	L1	搪孔深度 DM	淨重 N.W.
20801510A	BT50-2084A-100	100	150	5.1
20801515A	BT50-2084A-150	150	200	6.1
20801520A	BT50-2084A-200	200	250	7.1
20801525A	BT50-2084A-250	250	300	8.1

RBH微調精搪孔系統－精搪孔刀本體 Body for RBH Boring System

訂貨編號 Order No.	規格 Model	範圍 D Boring Range øDmin-øDmax	滑座外徑 Body Diameter	刀徑 Cutting Bar	板手 Wrench	搪孔刀柄 Taper Shank	淨重 N.W.
20850080	RBH2084	140-300	ø84	□20	○4 ○6	2084A	2.88
20860080	RBH20110	150-350	ø110	□20	○4 ○6	2084A	3.88

RBH微調精搪孔系統－精搪孔刀桿 Cutting Bar for RBH Boring System


訂貨編號 Order No.	規格 Model	刀徑 Cutting Bar	刀片 Insert	螺絲 Bolt	板手 Wrench	淨重 N.W.
20020150	BH20TP	□20	TPGH1103..L	SB-3TR-M3	T8	0.45



BST-RBH

微調精搪孔系統 Boring System

搪孔刀柄 Taper Shank
精搪孔刀本體 Body
精搪孔刀桿 Cutting Bar



BST-RBH微調精搪孔系統－搪孔刀柄 BST Taper Shank for RBH Boring System

訂貨編號 Order No.	規格 Model	L1	搪孔深度 DM	淨重 N.W.
20811510	BT50-BST100	100	150	5.75
20811515	BT50-BST150	150	200	6.75
20811520	BT50-BST200	200	250	7.75
20811525	BT50-BST250	250	300	8.75

RBH微調精搪孔系統－精搪孔刀本體 Body for RBH Boring System

訂貨編號 Order No.	規格 Model	範圍 D Boring Range øDmin-øDmax	滑座外徑 Body Diameter	刀徑 Cutting Bar	板手 Wrench	搪孔刀柄 Taper Shank	淨重 N.W.
20870080	RBH20150	170-400	ø150	□20	○4 ○6	BST	4.88
20880080	RBH20250	270-500	ø250	□20	○4 ○6	BST	5.90
20890080	RBH20350	370-600	ø350	□20	○4 ○6	BST	7.35

RBH微調精搪孔系統－精搪孔刀桿 Cutting Bar for RBH Boring System

訂貨編號 Order No.	規格 Model	刀徑 Cutting Bar	刀片 Insert	螺絲 Bolt	板手 Wrench	淨重 N.W.
20020150	BH20TP	□20	TPGH1103..L	SB-3TR-M3	T8	0.45

